

A close-up photograph of a hand with red, shimmering nail polish loading blue Fiocchi bullets into a silver engraved handgun. The handgun has intricate scrollwork on its frame. The background is a red garment with the Fiocchi logo. The Fiocchi logo, a stylized 'F' and 'M' shape, is partially visible in the upper right.

FIOCCCHI®

2024
PRODUCT GUIDE

MESSAGE

For many companies in the manufacturing segment, each new year presents an opportunity for focused improvement or a strategic initiative to better serve its customers and consumers. In this, Fiocchi is no different. While we always hold to the Old-World craftsmanship and heritage that have made Fiocchi ammunition the halo brand of experienced international competition shooters and dedicated big game and waterfowl hunters the world over, we never say, "Good enough." That applies not only to our products, but also to our business operation.

As every shooting and hunting enthusiast knows, the last few years have presented significant challenges across the firearms and ammunition sectors. The good news is that the retail ammunition shelves no longer look like empty hallways. On the other hand, manufacturers continue to be challenged when it comes to getting the right products on the shelves at the right time.

To make sure our competitive shotgun friends are well-stocked for the competition season, that hunters who depend on our premium cartridges have ammunition in time for zeroing and field practice, and that the personal defense folks can maintain frequent practice and operational readiness year-round, Fiocchi's overarching theme for 2024 is to optimize our delivery process. It is a long chain of events that must be precisely choreographed—from the influx of raw materials to production and dealer orders to on-shelf placement. Everyone at Fiocchi USA is committed to getting our dealers, retailers, and consumers what they need, when they need it.

Further, as we continue to increase ammunition supplies for mainstream and specialty cartridges back to regular production levels, Fiocchi is simultaneously committed to moving forward with new product offerings and technological innovations that improve field results for hunters and shooters.

A good example of this is found in our new and expanded 5.7x28mm cartridge lineup. With an increasing number of manufacturers producing firearms for this exciting and diverse chambering, Fiocchi has introduced four cartridges in 5.7x28mm—from subsonic and FMJ variants for recreational shooting to tipped hollow point and jacketed frangible for defensive applications.

On the hunting side, big game hunters will applaud our new Knock Down series of centerfire rifle cartridges. Designed to maximize the accuracy potential of today's precision long-range rifles, the Knock Down delivers astonishing terminal performance and flat trajectories with an environmentally safe monolithic copper hollow point construction.

Finally, since Fiocchi is known worldwide for its premium competition and hunting shotshells, we would be remiss to enter a new year without a fresh offering for the shotgun crowd. Just in time for the 2024 waterfowl season, we have expanded our much-hailed Flyway steel shotshell series with two fresh loads. The new Speed sTEAL shotshells for 12-gauge chambers are specifically crafted for the fast-flying and always challenging teal.

So, wherever your shooting passions may take you this year, know that all of us at Fiocchi USA are working hard to give you the best-performing, most reliable ammunition you need to succeed...and to get it to you when you need it!

DAVID BLENKER

President, Fiocchi of America



BALLISTICS



64

RIMFIRE



60

**PISTOL
& REVOLVER**



52

SHOTSHELL



20

CENTERFIRE RIFLE



8

NEW FOR 2024



5.7x28mm

With multiple flavors of 5.7x28mm ammunition, the fun-factor with your pistol or carbine just grew exponentially! Whether shooting steel targets with our 35gr. frangible, achieving ballistic performance with the 40gr. tipped-hollow point, enjoying the sounds of silence with the 62gr. subsonic, or dumping mags with our bulk pack FMJ, all will perform flawlessly and are unmatched in the industry!



| 5.7x28mm | | | | |
|--------------------|----------|----------------------------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| NEW 57FMJ40 | 5.7x28mm | Full Metal Jacket | 40 | 1700 |
| NEW 57JF35 | 5.7x28mm | Jacketed Frangible | 35 | 1750 |
| NEW 57PT40 | 5.7x28mm | Tipped Hollow Point | 40 | 1750 |
| NEW 57SUB62 | 5.7x28mm | Subsonic Full Metal Jacket | 62 | 1050 |



NEW FOR 2024



KNOCKDOWN

Developed to gain deeper penetration and flatter trajectory from your favorite rifle



PAGE 24

FLYWAY SPEED sTEAL

Dense patterns and confident terminal performance in a load specifically for early season teal

CENTERRIFIRE



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. + 0.01 (1.3)
LENGTH TOL. + 0.00 (1.27)

7450 (18 923) M

020+ .005 (+0.51+0.13) R

7330 (18 935)

KNOCKDOWN

Developed for the hunter looking to gain deeper penetration and flatter trajectory from their favorite rifle, this all-copper hollow-point bullet offers pass-through penetration, devastating energy transfer and controlled expansion. Reduced barrel fouling, improved accuracy and increased velocity provides flatter shooting for better down-range performance. Our proprietary powders burn clean and hot to maximize efficiency for even greater consistency, round after round. All it will take is one shot to convince even the most discerning hunter there is a new cartridge for their hunt.



| KNOCKDOWN | | | | |
|---------------------|-------------------|---------------------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| NEW 243CHA | 243 Winchester | Copper Hollow Point | 80 | 3415 |
| NEW 270CHA | 270 Winchester | Copper Hollow Point | 130 | 3100 |
| NEW 65CMCHA | 6.5 Creedmoor | Copper Hollow Point | 120 | 2900 |
| NEW 7MM08CHA | 7mm-08 Rem | Copper Hollow Point | 140 | 2825 |
| NEW 7RMCHA | 7mm Rem Mag | Copper Hollow Point | 160 | 2935 |
| NEW 308CHB | 308 Winchester | Copper Hollow Point | 150 | 2900 |
| NEW 3006CHA | 30-06 Springfield | Copper Hollow Point | 150 | 2950 |
| NEW 300WMCHA | 300 Win Mag | Copper Hollow Point | 165 | 3100 |



HYPERFORMANCE HUNT

Maximizing results from “here” to “way out there” is what Fiocchi’s Hyperformance Hunt line is all about. Our selection of high coefficient, flat-trajectory bullets carefully engineered for controlled expansion and maximum weight retention across a broad range of velocities provides hunters the confidence of decisive terminal performance on any big game animal.

| HYPERFORMANCE HUNT | | | | |
|--------------------|--------------------|-----------------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| NEW 223VGNT | 223 Remington | Varmint Grenade | 50 | 3300 |
| 243SCA | 243 Winchester | Scirocco | 90 | 3100 |
| 243HSB | 243 Winchester | SST | 95 | 2950 |
| 65CMHSA | 6.5 Creedmoor | SST | 129 | 2840 |
| 65CMSCA | 6.5 Creedmoor | Scirocco | 130 | 2820 |
| 270SCA | 270 Winchester | Scirocco | 130 | 3050 |
| 270HSB | 270 Winchester | SST | 150 | 2860 |
| 7MM08HSA | 7mm-08 REM | SST | 139 | 2800 |
| 7RMSCA | 7mm Magnum | Scirocco | 150 | 3100 |
| 7RMHSA | 7mm Magnum | SST | 154 | 3100 |
| 300BLKHA | 300 Blackout | SST | 125 | 2200 |
| 308HSA | 308 Winchester | SST | 150 | 2860 |
| 308SCA | 308 Winchester | Scirocco | 150 | 2875 |
| 308HSC | 308 Winchester | SST | 180 | 2570 |
| 3006SCA | 30-06 Springfield | Scirocco | 165 | 2875 |
| 3006HSC | 30-06 Springfield | SST | 180 | 2675 |
| 300WMHSA | 300 Winchester Mag | SST | 180 | 3000 |
| 300WMSCA | 300 Winchester Mag | Scirocco | 180 | 3020 |



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. ± 0.05 (1 27)
LENGTH TOL. ± 0.50 (1 27)

7450 (18 923) M

0.220" (0.51±0.13)R

7330 (18 923)

HYPERFORMANCE MATCH

Fiocchi's Hyperformance Match cartridges are designed from case head to bullet tip with one mission only—synchronize point-of-aim with point-of-impact at extreme distances...shot after shot. With bullets featuring ± 0.0003 concentricity, weight tolerance to ± 0.3 grains, and a profile ensuring a high ballistic coefficient, Hyperformance Match is the new go-to for precision factory target ammunition that stands neck-and-neck with custom hand loads.

HYPERFORMANCE MATCH

| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
|-------------|--------------------|---------|-----|------|
| 223MKC | 223 Remington | HPBT MK | 69 | 2850 |
| 223MKD | 223 Remington | HPBT MK | 77 | 2725 |
| 65CMMKC | 6.5 Creedmoor | HPBT MK | 142 | 2675 |
| 308MKB | 308 Winchester | HPBT MK | 168 | 2650 |
| 308MKD | 308 Winchester | HPBT MK | 175 | 2595 |
| 300WMMKE | 300 Winchester Mag | HPBT MK | 190 | 2900 |





CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. +0.015 (+0.13)
LENGTH TOL. +0.050 (+0.27)

7450 (18 923) M

020+ .005 (+0.51+0.13) R

7330 (18 933)

HYPERFORMANCE DEFENSE

Fiocchi's newest extensions to the popular Hyperperformance line - 4.6 x 30mm!

This high-velocity, low-recoil, bottle-necked round has a history of personal defense carbine use.

Favored by elite military forces and widely used by premier law enforcement agencies in the US.

The Hyperperformance Defense offering is a 38 grain tipped hollow point delivering top ballistic performance. A new addition of epic proportions, only from Fiocchi!

HYPERFORMANCE DEFENSE

| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
|-------------|---------|------|-----|------|
| 46EXD | 4.6x30 | THP | 38 | 1900 |



DEFENSE DYNAMICS

Because “second chances” do not factor into the personal protection equation, you demand reliable results and terminal performance in your defensive rifle ammo. Fiochi delivers on those fundamental requirements with every Defense Dynamics cartridge. Built and tested to exacting specifications for no-fail performance, Defense Dynamics satisfies the needs of home defenders and defense professionals alike.



| DEFENSE DYNAMICS | | | | |
|------------------|-----------|------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 46EXB | HK 4.6x30 | JSP | 40 | 1900 |

DID YOU KNOW...

The 4.6x30mm cartridge is a small caliber, high-velocity, bottlenecked centerfire cartridge first introduced in 1999. It was originally developed primarily for the H&K MP7 personal defense weapon to minimize weight and recoil while increasing penetration.



COWBOY ACTION

Six-shooters, lever guns, trap door rifles...whatever your nostalgic flavor may be, Fiocchi's Cowboy Action ammo is your steadfast range companion. Exuding the same Old-World craftsmanship that Fiocchi has maintained since these firearms were in daily use across the American West, our smooth-shooting Cowboy Action cartridges feature the highest-quality smokeless powder, coated lead bullets to minimize fouling, and non-corrosive primers to keep your original or classic-style firearms in the game and on target.

| COWBOY ACTION | | | | |
|---------------|------------|-------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 4570A | 45-70 Govt | LRNFP | 405 | 1185 |



DID YOU KNOW...

The Single Action Shooting Society (SASS) has over 600 SASS affiliated clubs around the world. Get involved and find a club near you by visiting www.sassnet.com

FIELD DYNAMICS

The workhorse of the Fiocchi hunting cartridge lineup, Field Dynamics centerfire rifle ammunition draws from the same commitment to using only the highest quality brass cases, predictable powders, and precision-made bullets that guides the company's specialty cartridges but at a price point that leaves more money for the hunt. From its high-fragmentation V-Max™ bullets for long-range varmint hunting to hard-hitting pointed soft points for all big-game animals and up to a hollow point flat nose for the mighty .45-70 Gov., Fiocchi's Field Dynamics offers a dependable cartridge for every hunting application.



CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA + (0.05 TO 13)
 LENGTH TOL + (0.50 TO 27)

7450 (18 923) M

020+ .005 (+0.51+0.13)R

7330 (18 585)

FIELD DYNAMICS

| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
|-------------|--------------------|-------|-----|------|
| 204HVA | 204 Ruger | V-MAX | 32 | 4125 |
| 204HVB | 204 Ruger | V-MAX | 40 | 3700 |
| 222HVA | 222 Remington | V-MAX | 50 | 3200 |
| 22250HVB | 22-250 Remington | V-MAX | 40 | 4100 |
| 22250B | 22-250 Remington | PSP | 55 | 3650 |
| 22250HVD | 22-250 Remington | V-MAX | 55 | 3650 |
| 223HVB50 | 223 Remington | V-MAX | 40 | 3650 |
| 223FHVA | 223 Remington | V-MAX | 50 | 3300 |
| 223HVA50 | 223 Remington | V-MAX | 50 | 3300 |
| 223B50 | 223 Remington | PSP | 55 | 3230 |
| 223HVC50 | 223 Remington | V-MAX | 55 | 3240 |
| 243SPD | 243 Winchester | PSP | 100 | 3050 |
| 2506B | 25-06 Remington | PSP | 117 | 2975 |
| 65CMB | 6.5 Creedmoor | PSP | 129 | 2820 |
| 270SPB | 270 Winchester | PSP | 130 | 3010 |
| 7MM08B | 7mm-08 REM | PSP | 139 | 2800 |
| 7RMA | 7mm Magnum | PSP | 139 | 3150 |
| 7RMB | 7mm Magnum | PSP | 175 | 2850 |
| 3006B | 30-06 Springfield | PSP | 150 | 2910 |
| 3006C | 30-06 Springfield | PSP | 165 | 2800 |
| 3006D | 30-06 Springfield | PSP | 180 | 2700 |
| 300WMB | 300 Winchester Mag | PSP | 180 | 3000 |
| 3030B | 30-30 Winchester | FSP | 150 | 2390 |
| 3030C | 30-30 Winchester | FSP | 170 | 2200 |
| 308B | 308 Winchester | PSP | 150 | 2750 |
| 308D | 308 Winchester | PSP | 165 | 2700 |
| 4570B | 45-70 Govt | HPFN | 300 | 1900 |



RANGE DYNAMICS

Some days, it's all about punching holes and ringing steel. Focchi's Range Dynamics centerfire rifle cartridges have you covered for high-volume fun, equipment testing, and skill development. Available for all the popular chamber sizes, Range Dynamics ammunition utilizes flight-stable full metal jacket boat tail bullets combined with the same high-quality components and construction serious shooters have come to expect from Focchi.

| RANGE DYNAMICS | | | | |
|----------------|-------------------|---------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 762X39A | 7.62x39mm | FMJ | 123 | 2375 |
| 46EXA | HK 4.6x30 | FMJ | 40 | 1900 |
| 223A | 223 Remington | FMJBT | 55 | 3240 |
| 223C | 223 Remington | FMJBT | 62 | 3000 |
| 300BLKC | 300 Blackout | FMJBT | 150 | 1850 |
| 300BLKMB | 300 Blackout | HPBT MK | 220 | 1020 |
| 308A | 308 Winchester | FMJBT | 150 | 2890 |
| 3006A | 30-06 Springfield | FMJBT | 150 | 3000 |



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. +.005 (0.13)
LENGTH TOL. +.050 (1.27)

7450 (18.923) X

LENGTH TOL. +.050 (1.27)

895+ (22.016) 25+ (0.51) 2000 (50.8)

020+ .005 (0.51+0.13) R

7030 (18.592)

CENTERFIRE RIFLE



SHOTSHELLS



SHOTSHELLS

From quail fields and duck blinds to Olympic podiums and everything in-between, Fiocchi shotshells lead the industry in reliable operation and downrange performance for waterfowl, upland, clays, defense, and top-level competition. Our craftsmanship heritage blends with the latest technology and component innovation to ensure gold-medal results in every shotgun endeavor.

A PATTERN OF SUCCESS

DEPENDABLE ACCURACY
EVERY SINGLE TIME.

WAD

Fiocchi wad technology produces dense, consistent patterns for phenomenal hunting and clay busting performance.

PRIMER

Fiocchi's shotshell primers are more sensitive and responsive for consistent reliability.



SHOT

Fiocchi triple filters its shot yielding the most spherical and uniform pellets for the most effective patterning.

POWDER

Fiocchi's powder blend is formulated for cleanliness, consistency and reduced recoil.

GOLDEN WATERFOWL BISMUTH

With Fiocchi's non-toxic Golden Waterfowl Bismuth, flaring waterfowl won't stand a chance. The high velocity paired with greater energy transfer, dense patterns and extended ranges makes you the deadliest wing shooter in the duck blind this season. Fiocchi uses high density 9.75g/cc bismuth in a precision loaded, moisture resistant, sealed hull that will provide you with the best performance shot after shot. No one else can deliver more lethality at an effective price from a trusted brand.



| GOLDEN WATERFOWL BISMUTH | | | | | | |
|--------------------------|-------|--------|---------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 123GB2 | 12 | 3" | Bismuth | 1-3/8 | 1450 | 2 |
| 123GB4 | 12 | 3" | Bismuth | 1-3/8 | 1450 | 4 |
| 123GB6 | 12 | 3" | Bismuth | 1-3/8 | 1450 | 6 |
| 203GB4 | 20 | 3" | Bismuth | 1-1/8 | 1250 | 4 |
| NEW 283GB4 | 28 | 3" | Bismuth | 1-1/8 | 1350 | 4 |



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. ± 0.05 (1.3)
LENGTH TOL. ± 0.50 (1.27)

7450 (18 923) M


020 ± 0.05 (0.51 ± 0.13) R

7330 (18 935)

GOLDEN WATERFOWL

Precision uniform plated steel shot is only one reason experienced waterfowl hunters reach for Fiocchi Waterfowl Steel cartridges. Our shotshells deliver the densest possible pattern propelled at the optimum velocities for maximum knock-down potential. Made in the USA, Fiocchi Waterfowl Steel has set the standard for precision, power, and reliability for nearly two decades. Enhancing reliability no matter the conditions.

| GOLDEN WATERFOWL | | | | | | |
|------------------|-------|--------|--------------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 123SGWBB | 12 | 3" | Plated Steel | 1-1/4 | 1350 | BB |
| 123SGW1 | 12 | 3" | Plated Steel | 1-1/4 | 1350 | 1 |
| 123SGW2 | 12 | 3" | Plated Steel | 1-1/4 | 1350 | 2 |
| 123SGW3 | 12 | 3" | Plated Steel | 1-1/4 | 1350 | 3 |
| 123SGW4 | 12 | 3" | Plated Steel | 1-1/4 | 1350 | 4 |



FLYWAY SERIES

Whether shooting mallards over decoys or pass-shooting geese at ultra-long-range, Fiocchi Flyway® steel shotshells come in a wide variety of loads to suit your specific needs. Flyway Series shotshells combine treated steel shot, protective wads, and matched powders to deliver reliably dense patterns and confident terminal performance from a load that is easy on your shoulder, but hard on your target. When you must use steel shot, there is a Fiocchi Flyway shotshell you can depend on.

| FLYWAY SERIES | | | | | | |
|-------------------|-------|--------|--------------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| NEW 12FST4 | 12 | 2-3/4" | Plated Steel | 1-1/8 | 1415 | 4 |
| NEW 12FST6 | 12 | 2-3/4" | Plated Steel | 1-1/8 | 1415 | 6 |
| 1235ST1 | 12 | 3-1/2" | Plated Steel | 1-3/8 | 1470 | 1 |
| 1235ST2 | 12 | 3-1/2" | Plated Steel | 1-3/8 | 1470 | 2 |
| 1235ST3B | 12 | 3-1/2" | Plated Steel | 1-3/8 | 1470 | BBB |



NEW Speed sTEAL

New 12-gauge offerings for the 2024 waterfowl season.
Made specifically for targeting early season teal.



CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA. ± 0.05 (1.3)
 LENGTH TOL. ± 0.50 (1.27)

7450 (18 923) M

020 ± 0.05 (0.51 ± 0.13) R

7330 (18 545)

WATERFOWL SHOTSHELLS

FLYWAY SERIES

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|--------------|-------|------|------|
| 1235STBB | 12 | 3-1/2" | Plated Steel | 1-3/8 | 1470 | BB |
| 123ST1 | 12 | 3" | Plated Steel | 1-1/8 | 1500 | 1 |
| 123ST151 | 12 | 3" | Plated Steel | 1-1/5 | 1550 | 1 |
| 123ST152 | 12 | 3" | Plated Steel | 1-1/5 | 1550 | 2 |
| 123ST153 | 12 | 3" | Plated Steel | 1-1/5 | 1550 | 3 |
| 123ST154 | 12 | 3" | Plated Steel | 1-1/5 | 1550 | 4 |
| 123ST15B | 12 | 3" | Plated Steel | 1-1/5 | 1550 | BB |
| 123ST2 | 12 | 3" | Plated Steel | 1-1/8 | 1500 | 2 |
| 123ST3 | 12 | 3" | Plated Steel | 1-1/8 | 1500 | 3 |
| 123ST4 | 12 | 3" | Plated Steel | 1-1/8 | 1500 | 4 |
| 123ST6 | 12 | 3" | Plated Steel | 1-1/8 | 1500 | 6 |
| 123STBB | 12 | 3" | Plated Steel | 1-1/8 | 1500 | BB |
| 203ST2 | 20 | 3" | Plated Steel | 7/8 | 1500 | 2 |
| 203ST3 | 20 | 3" | Plated Steel | 7/8 | 1500 | 3 |
| 203ST4 | 20 | 3" | Plated Steel | 7/8 | 1500 | 4 |



GOLDEN TURKEY TSS

Dense patterns, deep penetration, and long-range performance combine for the ultimate tungsten turkey hunting load. Fiocchi's Golden Turkey TSS brings performance head and neck above the rest. Three-inch offerings in 12-gauge, 20-gauge, 410 bore and now 28-gauge deliver hard-hitting knockdown power using the finest 18 g/cc tungsten shot and most consistent patterns on the market. The Fiocchi product development team has developed a true, high-grade load proven effective against the toughest of birds. Avid turkey hunters know the Fiocchi Golden Turkey TSS difference.

GOLDEN TURKEY TSS

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|--------------------|----------|--------|----------|--------|------|------|
| 123TSS7 | 12 | 3" | Tungsten | 1-5/8 | 1200 | 7 |
| 123TSS9 | 12 | 3" | Tungsten | 1-5/8 | 1200 | 9 |
| 203TSS9 | 20 | 3" | Tungsten | 1-3/8 | 1225 | 9 |
| NEW 283TSS9 | 28 | 3" | Tungsten | 1-1/16 | 1350 | 9 |
| 410TSS9 | 410 BORE | 3" | Tungsten | 13/16 | 1100 | 9 |



CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA. ± 0.05 (1 13)
 LENGTH TOL. ± 0.50 (1 27)

7450 (18 923) M

020 ± 0.05 (0.51 ± 0.13) R

7330 (18 933)

GOLDEN TURKEY

Fiocchi has reinvigorated our keystone Golden Turkey load. Utilizing our perfected nickel plated lead shot, clean burning powder, and improved wad - turkeys won't stand a chance. Fiocchi Golden Turkey shotshell, the gold standard for turkey hunters.



| GOLDEN TURKEY | | | | | | |
|---------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 123TRKC4 | 12 | 3" | Lead | 1-3/4 | 1200 | 4 |
| 123TRKC5 | 12 | 3" | Lead | 1-3/4 | 1200 | 5 |
| 123TRKC6 | 12 | 3" | Lead | 1-3/4 | 1200 | 6 |



GOLDEN PHEASANT BISMUTH

Fiocchi's new non-toxic Golden Pheasant Bismuth will keep your dog on retrieve all day long. We use high density 9.75g/cc bismuth in a precision loaded, moisture resistant, that will provide you with the best results shot after shot. When you hear the cackle of the rooster calling your name, put your trust in the hard-hitting performance of Golden Pheasant Bismuth.

| GOLDEN PHEASANT BISMUTH | | | | | | |
|-------------------------|-------|--------|---------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12GPB4 | 12 | 2-3/4" | Bismuth | 1-1/4 | 1400 | 4 |
| 12GPB6 | 12 | 2-3/4" | Bismuth | 1-1/4 | 1400 | 6 |



GOLDEN PHEASANT

Fast-paced upland hunting requires hard-hitting pellets delivered on target and with an authoritative punch. Fiocchi's Golden Pheasant does exactly that, courtesy of precision nickel-plated lead shot and innovative wads that provide the kind of consistent, optimized patterns and velocities needed to bring down challenging birds.

| GOLDEN PHEASANT | | | | | | |
|-----------------|-------|--------|---------------|--------|------|------------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12GP | 12 | 2-3/4" | Nickel Plated | 1-3/8 | 1250 | 4, 5, 6 |
| 12GPX | 12 | 2-3/4" | Nickel Plated | 1-3/8 | 1485 | 4, 5, 6 |
| 123GP | 12 | 3" | Nickel Plated | 1-3/4 | 1200 | 4, 5, 6 |
| 16GP | 16 | 2-3/4" | Nickel Plated | 1 1/8 | 1310 | 5, 6 |
| 20GP | 20 | 2-3/4" | Nickel Plated | 1 | 1245 | 5, 6, 7, 5 |
| 203GP | 20 | 3" | Nickel Plated | 1-1/4 | 1200 | 4, 5, 6 |
| 28GP | 28 | 2-3/4" | Nickel Plated | 7/8 | 1300 | 5, 6, 7, 5 |
| 283GP | 28 | 3" | Nickel Plated | 1-1/16 | 1200 | 5, 6, 7, 5 |



FIELD DYNAMICS HIGH VELOCITY

From October squirrels to flushing grouse, the Focchi High Velocity line of hunting shotshells have a proven reputation in the field for putting wild game on the table. Utilizing the same attention to high-quality components and industry-leading manufacturing standards as in Focchi's up-level waterfowl and competition shotshells means High Velocity loads deliver reliable cycling and exceptional downrange performance in every cartridge...no matter the game or the season.

FIELD DYNAMICS HIGH VELOCITY

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|----------|--------|------|---------|------|--------------------|
| 12HV | 12 | 2-3/4" | Lead | 1-1/4 | 1330 | 4, 5, 6, 7.5, 8, 9 |
| 123HV | 12 | 3 | Lead | 1-3/4 | 1330 | 4, 5, 6 |
| 16HV | 16 | 2-3/4" | Lead | 1-1/8 | 1300 | 5, 6, 7.5 |
| 20HV | 20 | 2-3/4" | Lead | 1 | 1220 | 5, 6, 7.5, 8, 9 |
| 203HV | 20 | 3 | Lead | 1-1/4 | 1200 | 4, 5, 6, 7.5, 8 |
| 28HV | 28 | 2-3/4" | Lead | 3/4 | 1300 | 6, 7.5, 8, 9 |
| 283HV | 28 | 3 | Lead | 1 | 1300 | 5, 6, 7.5, 8 |
| 410HV | 410 BORE | 3 | Lead | 1 -1/16 | 1140 | 6, 7.5, 8, 9 |



FIELD DYNAMICS UPLAND STEEL

Shotguns provide a diversity of small- and medium-sized game hunting opportunities. That requires an equally diverse selection of shotshell loads. Fiocchi's expansive line of Field Dynamics shotshells ensures you will find a load that is just right for every hunt. They are made to the same exacting standards and with the high-quality components typical of Fiocchi's top-shelf ammunition. New 12-gauge offerings for the 2024 upland season where non-toxic is needed.

FIELD DYNAMICS UPLAND STEEL

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|--------------------|-------|--------|-------|-------|------|------|
| NEW 12HVST4 | 12 | 2-3/4" | Steel | 1-1/8 | 1400 | 4 |
| NEW 12HVST6 | 12 | 2-3/4" | Steel | 1-1/8 | 1400 | 6 |



020+ 093 (0.51)+0.131R

FIELD DYNAMICS DOVE & QUAIL

For most sporting enthusiasts, dove hunting is more than getting birds in the bag. It is also about tradition and heritage. That heritage lives in every load of Focchi Dove & Quail. Our #7.5 and #8 chilled lead shot is backed by carefully designed wads and propelled by top-grade powder to deliver predictable shot patterns and reliably cycling with all-day shooting comfort.

FIELD DYNAMICS DOVE & QUAIL

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|----------|--------|------|-------|------|--------|
| 12GT | 12 | 2-3/4" | Lead | 1 | 1250 | 7.5, 8 |
| 12GTX18 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 7.5, 8 |
| 16GT | 16 | 2-3/4" | Lead | 1 | 1165 | 7.5, 8 |
| 20GT | 20 | 2-3/4" | Lead | 7/8 | 1210 | 7.5, 8 |
| 28GT | 28 | 2-3/4" | Lead | 3/4 | 1200 | 8 |
| 410GT | 410 BORE | 2-1/2" | Lead | 1/2 | 1200 | 8 |



FIELD DYNAMICS BUCKSHOT & SLUG

Sporting hunters continue to leverage shotguns for the exciting pursuit of wild hogs, whitetail deer, and even coyotes. Well, Fiocchi has a proven recipe for all the above in the Buck & Slug lineup. Chambered for 12-gauge 2-3/4, hunters can choose nickel-plated 9 pellet or #4 buckshot for close-in work or 7/8-oz., 1,300 fps lead slug for optimum range performance. These buckshot loads also make an ideal home defense option.

FIELD DYNAMICS BUCKSHOT & SLUG

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|---------------|-----|------|----------|
| 12LES LUG | 12 | 2-3/4" | Lead | 7/8 | 1300 | SLUG |
| 12FHV9P | 12 | 2-3/4" | Nickel Plated | 9 | 1325 | 9 PELLET |
| 12HV9P | 12 | 2-3/4" | Nickel Plated | 9 | 1325 | 9 PELLET |
| 12HV4BK | 12 | 2-3/4" | Nickel Plated | 27 | 1325 | 4BK |



COMPETITION



CRUSHER

We called this load Crusher for a reason — it crushes targets in sporting clays, skeet, trap, and five-stand while still delivering less felt recoil and a more consistent pattern than competing brands. Loaded with high-quality Focchi components, this ammunition delivers the reliable performance you demand in a competition load.

| CRUSHER | | | | | | |
|-------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12CRSR75 | 12 | 2-3/4" | Lead | 1 | 1300 | 7.5 |
| 12CRSR8 | 12 | 2-3/4" | Lead | 1 | 1300 | 8 |

| CRUSHER SPREADER | | | | | | |
|------------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12CPTR8 | 12 | 2-3/4" | Lead | 1 | 1300 | 8 |

| SUPER CRUSHER | | | | | | |
|---------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12SCRS75 | 12 | 2-3/4" | Lead | 1 | 1400 | 7.5 |



WHITE RINO

One of Focchi's most respected and well-known line of target shotshells is the White Rino. They are designed for discriminating shooters who favor a softer recoil for high-volume range days but with a dense and velocity that will reach out there. White Rino shotshells mix clean-burning powders, one-piece cushioned wads, and high antimony shot for an excellent shooting experience in SxS, O/U, and semi-autos alike.

| WHITE RINO | | | | | | |
|--------------------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12WRN075 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 7.5 |
| 12WRN08 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 8 |
| 12SSCX8 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 8 |
| WHITE RINO CRUSHER | | | | | | |
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12WRRCRS7 | 12 | 2-3/4" | Lead | 1-1/8 | 1300 | 7.5 |
| 12WRRCRS8 | 12 | 2-3/4" | Lead | 1-1/8 | 1300 | 8 |
| WHITE RINO INTERNATIONAL | | | | | | |
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12IN2475 | 12 | 2-3/4" | Lead | 24 | 1350 | 7.5 |
| 12IN249 | 12 | 2-3/4" | Lead | 24 | 1350 | 9 |
| WHITE RINO SPREADER | | | | | | |
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12SSCX8 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 8 |



WHITE RINO LITE

Developed for long days on the range and high-volume training, White Rino Lite delivers a slightly softer touch than the original White Rino while compromising nothing in downrange performance. Focchi's White Rino Super Lite offers the softest recoil of the famed White Rino line with a 1,150 fps velocity that punishes clays yet cycles flawlessly.

| WHITE RINO LITE | | | | | | |
|-----------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12WRNL75 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 7.5 |
| 12WRNL8 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 8 |
| 12WRNL9 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 9 |

| WHITE RINO SUPER LITE | | | | | | |
|-----------------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12WRSL75 | 12 | 2-3/4" | Lead | 1-1/8 | 1150 | 7.5 |
| 12WRSL8 | 12 | 2-3/4" | Lead | 1-1/8 | 1150 | 8 |



LITTLE RINO

The Fiocchi Little Rino load is a Target handicap load. It features a one-ounce shot load, traveling at 1250 fps. It's an ideal load for multiple types of sporting clays competitions. Little Rino is an explosive cocktail that will bring a winning smile to many competitors' lips.

| LITTLE RINO | | | | | | |
|-------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12TX75 | 12 | 2-3/4" | Lead | 1 | 1250 | 7.5 |
| 12TX8 | 12 | 2-3/4" | Lead | 1 | 1250 | 8 |

| PAPER LITTLE RINO | | | | | | |
|-------------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12FPTX75 | 12 | 2-3/4" | Lead | 1 | 1250 | 7.5 |
| 12FPTX8 | 12 | 2-3/4" | Lead | 1 | 1250 | 8 |
| 12FPWR75 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 7.5 |



STEEL TARGET

All the performance of Fiocchi target shotshell but with a steel payload, Fiocchi Steel Target provides a shot that is optimized for exceptional ballistic performance. Our powder blend is formulated for cleanliness, consistency, and reduced recoil. For your environmentally-friendly target shotshell option, put your trust in Fiocchi Steel Target.

| STEEL TARGET | | | | | | |
|--------------|-------|--------|-------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12S1187 | 12 | 2-3/4" | Steel | 1-1/8 | 1375 | 7 |
| 12SLR7 | 12 | 2-3/4" | Steel | 1 | 1200 | 7 |
| 20SLR7 | 20 | 2-3/4" | Steel | 7/8 | 1225 | 7 |



VIP

Fiocchi Exacta VIP Target Loads are built on a legacy of success as the best sub-gauge range ammunition available for competitive shooters. Exacta VIP is purpose-built to meet Olympic and world-class shooters' no-compromise performance by employing the highest-quality components derived through extensive load development and in-field-testing. Now you can rely on the same quality loads the champions use.

| VIP | | | | | | |
|-------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 20VIP75 | 20 | 2-3/4" | Lead | 7/8 | 1200 | 7.5 |
| 20VIP8 | 20 | 2-3/4" | Lead | 7/8 | 1200 | 8 |
| 20VIP9 | 20 | 2-3/4" | Lead | 7/8 | 1200 | 9 |
| 28VIP75 | 28 | 2-3/4" | Lead | 3/4 | 1200 | 7.5 |
| 28VIP8 | 28 | 2-3/4" | Lead | 3/4 | 1200 | 8 |
| 28VIP9 | 28 | 2-3/4" | Lead | 3/4 | 1200 | 9 |
| 410VIP75 | .410 | 2-1/2" | Lead | 1/2 | 1250 | 7.5 |
| 410VIP8 | .410 | 2-1/2" | Lead | 1/2 | 1250 | 8 |
| 410VIP9 | .410 | 2-1/2" | Lead | 1/2 | 1250 | 9 |



VIP HEAVY

Taking sub-gauge competition ammo to the next level is Focchi's Exacta VIP Heavy shotshells. Offered for 20 and 28-gauge 2-3/4 inch chambers, Exacta VIP Heavy sends 3/4-oz. (28-gauge) and 7/8-oz. (20-gauge) payloads downrange with authority. Velocities of 1,250 and 1,300 fps for 20 and 28-gauge, respectively, allow competitive shooters to break targets on the fringe.

| VIP HEAVY | | | | | | |
|-------------|-------|--------|------|-----|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 20VIPH75 | 20 | 2-3/4" | Lead | 7/8 | 1250 | 7.5 |
| 20VIPH8 | 20 | 2-3/4" | Lead | 7/8 | 1250 | 8 |
| 28VIPH75 | 28 | 2-3/4" | Lead | 3/4 | 1300 | 7.5 |
| 28VIPH8 | 28 | 2-3/4" | Lead | 3/4 | 1300 | 8 |



SHOOTING DYNAMICS

Affordable price does not mean compromised performance—at least not when you are talking about Focchi's Shooting Dynamics line of clay shotshells. Shooting Dynamics ammo is designed to provide shooters the best-performing shotshells at the best possible price. Powered by Focchi's industry-leading primers, Shooting Dynamics blends first-run chilled lead shot with one-piece cups, cushioned wads, and clean-burning powder for reliability and downrange performance that belies its price point.

| SHOOTING DYNAMICS | | | | | | |
|-------------------|-------|--------|------|-------|------|------|
| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
| 12SD18H7 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 7.5 |
| 12SD18H8 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 8 |
| 12SD18L7 | 12 | 2-3/4" | Lead | 1-1/8 | 1165 | 7.5 |
| 12SD18L8 | 12 | 2-3/4" | Lead | 1-1/8 | 1165 | 8 |
| 12SD18L9 | 12 | 2-3/4" | Lead | 1-1/8 | 1165 | 9 |
| 12SD18X7 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 7.5 |
| 12SD18X8 | 12 | 2-3/4" | Lead | 1-1/8 | 1250 | 8 |
| 12SD1H75 | 12 | 2-3/4" | Lead | 1 | 1200 | 7.5 |



CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA. +0.05 (13)
 LENGTH TOL. +0.50 (127)

7450 (18 923) X

020+ .005 (+0.51+0.13)R

7330 (18 953)

COMPETITION SHOTSHELLS

SHOOTING DYNAMICS

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|------|-------|------|------|
| 12SD1H8 | 12 | 2-3/4" | Lead | 1 | 1200 | 8 |
| 12SD1H9 | 12 | 2-3/4" | Lead | 1 | 1200 | 9 |
| 12SD1L75 | 12 | 2-3/4" | Lead | 1 | 1170 | 7.5 |
| 12SD1L8 | 12 | 2-3/4" | Lead | 1 | 1170 | 8 |
| 12SD1X75 | 12 | 2-3/4" | Lead | 1 | 1250 | 7.5 |
| 12SD1X8 | 12 | 2-3/4" | Lead | 1 | 1250 | 8 |
| 12SD78H7 | 12 | 2-3/4" | Lead | 7/8 | 1350 | 7.5 |
| 12SD78H8 | 12 | 2-3/4" | Lead | 7/8 | 1350 | 8 |
| 12SDHV75 | 12 | 2-3/4" | Lead | 1-1/8 | 1280 | 7.5 |
| 12SDHV8 | 12 | 2-3/4" | Lead | 1-1/8 | 1280 | 8 |
| 20SD75 | 20 | 2-3/4" | Lead | 7/8 | 1210 | 7.5 |
| 20SD8 | 20 | 2-3/4" | Lead | 7/8 | 1210 | 8 |

SHOOTING DYNAMICS LOW RECOIL

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|------|-----|------|------|
| 12780Z75 | 12 | 2-3/4" | Lead | 7/8 | 1200 | 7.5 |
| 12780Z8 | 12 | 2-3/4" | Lead | 7/8 | 1200 | 8 |
| 20LITE75 | 20 | 2-3/4" | Lead | 3/4 | 1075 | 7.5 |




3-GUN

Fiocchi 3-Gun Miculek Legacy ammunition was developed in collaboration with legendary shooter Jerry Miculek. This round features clean-burning powder for extreme field conditions, a superior wad engineered to produce dense, consistent patterns, and a radiused crimp to execute fast and consistent speed loading. The Jerry Miculek 3-Gun series shotshells provide low recoil and flawless reliability, giving serious 3-Gun shooters the winning edge.

3-GUN

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|------|-------|------|----------|
| 12BK3G00 | 12 | 2-3/4" | Lead | 9 | 1250 | 9 PELLET |
| 12DH3G75 | 12 | 2-3/4" | Lead | 1-1/8 | 1200 | 7.5 |
| 12DL3G75 | 12 | 2-3/4" | Lead | 1 | 1170 | 7.5 |
| 12SLG3G | 12 | 2-3/4" | Lead | 7/8 | 1300 | SLUG |



DEFENSE DYNAMICS

If there is one firearm platform that offers the most diverse home defense and close-quarter engagement capabilities, it is the shotgun. Fiochi offers reliable and effective defensive shotgun ammo for both civilians and law enforcement professionals through the Defense Dynamics line. Chambered for 2-3/4-inch 12-gauge, Defense Dynamics shotshells are available in a one-ounce slug, defense buck, breaching slug, rubber buck, and rubber slug. They are made with the same demanding quality and component requirements as the company's top-end ammunition.

DEFENSE DYNAMICS

| ITEM NUMBER | GAUGE | LENGTH | TYPE | OZ. | FPS | SHOT |
|-------------|-------|--------|----------------|-----------|------|-----------|
| 12SLUG | 12 | 2-3/4" | Lead | 1 | 1560 | SLUG |
| 12LRSLUG | 12 | 2-3/4" | Lead | 1 | 1150 | SLUG |
| 12LE9P | 12 | 2-3/4" | Lead | 9 PELLET | 1150 | 00BK |
| 12EX9P | 12 | 2-3/4" | Lead | 9 PELLET | 1250 | 9 PELLET |
| 12BK008 | 12 | 2-3/4" | Lead | 8 PELLET | 1325 | 8 PELLET |
| 12LERB10 | 12 | 2-3/4" | Rubber | 15 PELLET | 790 | 15 PELLET |
| 12LEBRE | 12 | 2-3/4" | Breaching Slug | 1 | 1045 | SLUG |
| 12LEBAT | 12 | 2-3/4" | Rubber | 1 | 740 | SLUG |



CENTERRIFIRE



HYPERFORMANCE DEFENSE

Developed on the theory that “the first shot is the shot that counts,” Focchi’s Hyperperformance Defense handgun ammo blends the XTP bullet’s terminal performance with nickel plated cases for reliable feeding and corrosion resistance, easy visual in low light, precise powder charges, and reliable primers that help make that first shot count.

| HYPERFORMANCE DEFENSE | | | | |
|-----------------------|---------------|-------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 25XTP | 25 Auto | XTPHP | 35 | 900 |
| 32XTP | 32 Auto | XTPHP | 60 | 1000 |
| 380XTP25 | 380 Auto | XTPHP | 90 | 975 |
| 9XTP25 | 9mm Luger | XTPHP | 115 | 1150 |
| 9XTPC25 | 9mm Luger | XTPHP | 124 | 1100 |
| 9XTPB25 | 9mm Luger | XTPHP | 147 | 950 |
| 38XTPB25 | 38 Special +P | XTPHP | 110 | 1100 |
| 38XTPP25 | 38 Special +P | XTPHP | 125 | 1050 |
| 357XTP25 | 357 Magnum | XTPHP | 158 | 1250 |
| 40XTP25 | 40 S&W | XTPHP | 155 | 1160 |
| 40XTPB25 | 40 S&W | XTPHP | 180 | 1000 |
| 44XTP25 | 44 Magnum | XTPHP | 240 | 1350 |
| 44XTPB25 | 44 Magnum | XTPHP | 200 | 1490 |
| 45XTP25 | 45 Auto | XTPHP | 230 | 900 |
| 45XTPB25 | 45 Auto | XTPHP | 200 | 925 |



020+ 092 (0.5) + 0.131 R

DEFENSE DYNAMICS

For personal and home protection or the “mean street” beat, Focchi Defense Dynamics covers all the bases. Ranging from .32 Auto through the hard-hitting .44 Magnum and .45 Auto, Defense Dynamics cartridges are centered around precision-manufactured jacketed and semi-jacketed hollow point projectiles to provide maximum defense performance at a reasonable price.

| DEFENSE DYNAMICS | | | | |
|------------------|------------|------|-----|-------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 32APHP | 32 Auto | SJHP | 60 | 1100 |
| 380APHP | 380 Auto | JHP | 90 | 975 |
| 9APBHP | 9mm Luger | JHP | 124 | 1,100 |
| 9APDHP | 9mm Luger | JHP | 147 | 975 |
| 9APHP | 9mm Luger | JHP | 115 | 1175 |
| 38B | 38 Special | JHP | 158 | 850 |
| 38E | 38 Special | JHP | 148 | 750 |
| 38F | 38 Special | JHP | 125 | 1000 |
| 357B | 357 Magnum | JHP | 158 | 1220 |
| 357D | 357 Magnum | JHP | 125 | 1450 |
| 357E | 357 Magnum | JHP | 148 | 1310 |
| 40SWC | 40 S&W | JHP | 165 | 1100 |
| 40SWE | 40 S&W | JHP | 180 | 1000 |
| 10APHP | 10mm Auto | JHP | 180 | 1250 |
| 44SA500 | 44 Special | SJHP | 200 | 900 |
| 44A500 | 44 Magnum | JSP | 240 | 1310 |
| 44B500 | 44 Magnum | SJHP | 200 | 1475 |
| 44D500 | 44 Magnum | JHP | 240 | 1330 |
| 45B500 | 45 Auto | JHP | 200 | 890 |
| 45T500 | 45 Auto | JHP | 230 | 850 |





RANGE DYNAMICS

Whether you are spooling up for the next competition or honing your defensive handgun skills, it all comes down to time on the range pulling triggers. For regular practice sessions and high-volume training days, Focchi Range Dynamics ammo is the right choice. These cartridges feature full metal jacket bullets in several weights to help match your defensive carry ammo, allowing your training efforts to translate to real-world defense performance.



CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA. ± 0.05 (1.3)
 LENGTH TOL. ± 0.50 (1.27)

7450 (18.923) M

0.20 ± 0.05 (0.51 ± 0.13) R

7330 (18.53)

RANGE DYNAMICS

| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
|-------------|-------------|-------|------|------|
| 25AP | 25 Auto | FMJ | 50 | 800 |
| 32AP | 32 Auto | FMJ | 73 | 1000 |
| 32SWLA | 32 S&W Long | FMJ | 97 | 800 |
| 380AP | 380 Auto | FMJ | 95 | 960 |
| 380ARD | 380 Auto | FMJ | 95 | 960 |
| 9AP | 9mm Luger | FMJ | 115 | 1200 |
| 9APB | 9mm Luger | FMJ | 124 | 1150 |
| 9APD | 9mm Luger | FMJ | 147 | 975 |
| 9APE | 9mm Luger | FMJ | 158 | 850 |
| 357SIGAP | 357 Sig | FMJ | 124 | 1350 |
| 38A | 38 Special | FMJ | 130 | 950 |
| 38C | 38 Special | LRN | 158 | 880 |
| 38G | 38 Special | FMJ | 158 | 730 |
| 38LA | 38 Special | LWC | 148 | 730 |
| 38SA | 38 Super | FMJ | 129 | 1150 |
| 357F | 357 Magnum | FMJTC | 142 | 1420 |
| 357GCMJ | 357 Magnum | CMJFP | 158 | 1220 |
| 40SWA | 40 S&W | FMJTC | 170 | 1020 |
| 40SWD | 40 S&W | FMJTC | 180 | 1000 |
| 40SWF | 40 S&W | FMJTC | 1656 | 1020 |
| 10AP | 10mm Auto | FMJTC | 180 | 1250 |
| 45A500 | 45 Auto | FMJ | 230 | 860 |
| 45LCCMJ | 45 Colt | CMJ | 255 | 750 |



HERITAGE

As one of the world's oldest ammunition manufacturers, Focchi knows the classics quite well. We developed our Heritage line of ammo to merge state-of-the-art materials and manufacturing processes with Old-World craftsmanship, a hallmark of Focchi cartridges for over 145 years. Focchi's Heritage is the perfect companion for classic and heirloom firearms that are not ready for the collector box.

| HERITAGE | | | | |
|-------------|--------------|-------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 765A | 30 Luger | FMJ | 93 | 1200 |
| 762A | 7.62 Nagant | FMJ | 97 | 785 |
| 765B | 30 Luger | SJSP | 93 | 1210 |
| 762TOK | 7.62 Tokarev | FMJ | 85 | 1525 |
| 763A | 7.63 Mauser | FMJ | 88 | 1425 |
| 8G | 8mm Gasser | FMJ | 126 | 790 |
| 8L | 8mm Lebel | FMJ | 111 | 880 |
| 8S | 8mm Steyr | FMJ | 113 | 1070 |
| 9MAK | 9mm Makarov | FMJ | 95 | 1020 |
| 9SA | 9mm Steyr | FMJ | 115 | 1080 |
| 9X18 | 9x18mm Ultra | FMJTC | 100 | 1065 |
| 9X21 | 9x21mm IMI | FMJTC | 123 | 1220 |
| 455A | 455 Webley | LRN | 262 | 850 |



COWBOY ACTION

Made for the competitive shooter, Focchi's Cowboy Action ammo delivers the same Old-World craftsmanship that Focchi has maintained since the "guns that won the West" were in daily use. Our smooth-shooting Cowboy Action cartridges feature the highest-quality smokeless powder, coated lead bullets to minimize fouling, and non-corrosive primers to keep your classic-style firearms in the game and on target.

| COWBOY ACTION | | | | |
|---------------|------------------|-------|-----|-----|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 32LA | 32 S&W Long | LWC | 100 | 730 |
| 32SWLL | 32 S&W Long | LFP | 97 | 800 |
| 38SWSHL | 38 S&W Short | LRN | 145 | 720 |
| 38CA | 38 Special | LFP | 158 | 640 |
| 444OCA | 44-40 Winchester | LRNFP | 210 | 725 |
| 44SCA | 44 Special | LFP | 210 | 750 |
| 44SWR | 44 S&W Russian | LRN | 247 | 820 |
| 45LCCA | 45 Colt | LRNFP | 250 | 750 |
| 38SWSHA | 38 S&W Short | FMJ | 145 | 720 |



RIMFIRE



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. +0.05 (-0.13)
LENGTH TOL. +0.00 (-0.27)




7450 (18 923) M

020+ .005 (-0.51+0.13) R

7330 (18 555)

RIMFIRE

Fiocchi offers a broad selection of precision-made, high-performance rimfire ammunition, from plinking soda cans and hunting small game to Olympic-level competitions. Our cartridges are engineered for easy cycling, reliable performance, and, of course, maximum accuracy in any .22LR and .22WMR platforms.




DID YOU KNOW...
Smith & Wesson was the first to introduce a .22-caliber rimfire cartridge in 1857. It was chambered in the company's First Model, a small bottom-hinged barrel revolver that tipped down raising the cylinder to be loaded and unloaded.

RANGE DYNAMICS

Available in 40-grain bullet weights, Focchi Range Dynamics .22LR ammunition focuses on competition training and extended range sessions. For general recreation shooting, our lead round nose 22FLRN delivers high-impact range training and plinking fun.



| RANGE DYNAMICS | | | | |
|----------------|-------------------|------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 22FLRN | 22 LR | LRN | 40 | 1050 |
| 22FWMC | 22 Winchester Mag | TMJ | 40 | 1900 |



CHAMBER
UNLESS OTHERWISE NOTED
ALL DIA. ± 0.05 (1.27)
LENGTH TOL. ± 0.50 (1.27)

7450 (18 923) M


0.220" ± 0.005 (+0.51/-0.13) R

7330 (18 935)

FIELD DYNAMICS

Small game hunting and silhouette shooting are BACK, and Focchi helps you get the most out of your field and range adventures with bulk-quantity Field Dynamics .22LR cartridges. Offered in 40- and 38-grain bullet weights, Field Dynamics .22LR is available in copper-plated round nose and copper-plated hollow point for optimal terminal performance on small game and varmints. For a more discrete noise signature, check out our subsonic .22LR hollow point.

| FIELD DYNAMICS | | | | |
|----------------|-------------------|------|-----|------|
| ITEM NUMBER | CALIBER | TYPE | GR. | FPS |
| 22FFHVCR | 22 LR | CPRN | 40 | 1250 |
| 22FHPSUB | 22 LR | HP | 40 | 1060 |
| 22FHVCHP | 22 LR | CPHP | 38 | 1250 |
| 22FHVCRN | 22 LR | CPRN | 40 | 1250 |
| 22FWMA | 22 Winchester Mag | JSP | 40 | 1910 |
| 22FWMB | 22 Winchester Mag | JHP | 40 | 1910 |



HYPERFORMANCE HUNT

| ITEM NUMBER | CALIBER | GRAIN | TYPE | VELOCITY IN FEET PER SECOND +/- 10 FT/S | | | | | ENERGY IN FEET PER POUND +/- 5 FT/P | | | | | TRAJECTORY DROP | | | | | B.C | | |
|-------------|-------------------|-------|----------|---|--------|--------|--------|--------|-------------------------------------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|--------|--------|--------|
| | | | | MUZZLE | 100 Y. | 200 Y. | 300 Y. | 400 Y. | 500 Y. | MUZZLE | 100 Y. | 200 Y. | 300 Y. | 400 Y. | 500 Y. | 100 Y. | 200 Y. | 300 Y. | | 400 Y. | 500 Y. |
| 243HSB | 243 WINCHESTER | 95 | SST | 2950 | 2688 | 2440 | 2206 | 1985 | 1778 | 1270 | 1052 | 864 | 704 | 568 | 456 | 0 | -3.3 | -12.5 | -28.9 | -54.1 | 0.355 |
| 243SCA | 243 WINCHESTER | 90 | SCIROCCO | 3100 | 2869 | 2649 | 2440 | 2240 | 2050 | 1493 | 1094 | 796 | 571 | 399 | 271 | 0 | -2.6 | -10.2 | -24 | -44.5 | 0.419 |
| 260HSA | 260 REMINGTON | 129 | SST | 2800 | 2613 | 2434 | 2261 | 2096 | 1938 | 3156 | 2732 | 2355 | 2020 | 1723 | 1461 | 0 | -3.6 | -13.1 | -29.4 | -53.6 | 0.485 |
| 270HSB | 270 WINCHESTER | 150 | SST | 2860 | 2685 | 2516 | 2354 | 2197 | 2046 | 508 | 474 | 446 | 421 | 399 | 380 | 0 | -3.3 | -12.2 | -27.3 | -49.6 | 0.525 |
| 270SCA | 270 WINCHESTER | 130 | SCIROCCO | 3050 | 2837 | 2634 | 2440 | 2255 | 2077 | 1140 | 937 | 767 | 629 | 520 | 439 | 0 | -2.8 | -10.7 | -24.4 | -45 | 0.45 |
| 300GKKB | 30-06 SPRINGFIELD | 165 | HPBT GK | 2850 | 2599 | 2362 | 2137 | 1925 | 1726 | 1902 | 1371 | 966 | 673 | 479 | 368 | 0 | -3.7 | -13.6 | -31.2 | -59.8 | 0.224 |
| 300GHSC | 30-06 SPRINGFIELD | 180 | SST | 2675 | 2491 | 2315 | 2145 | 1983 | 1829 | 2436 | 2098 | 1798 | 1532 | 1298 | 1093 | 0 | -4.1 | -14.8 | -33 | -60 | 0.48 |
| 300GSCA | 30-06 SPRINGFIELD | 165 | SCIROCCO | 2875 | 2679 | 2491 | 2311 | 2138 | 1973 | 2620 | 2257 | 1936 | 1651 | 1401 | 1182 | 0 | -3.4 | -12.3 | -27.8 | -51 | 0.47 |
| 300BLKHA | 300 AAC BLACKOUT | 125 | SST | 2200 | 1944 | 1708 | 1496 | 1312 | 1166 | 2619 | 2276 | 1969 | 1695 | 1452 | 1239 | 0 | -7.7 | -27.3 | -62.99 | -118.5 | 0.305 |
| 300WMHSA | 300 WIN. MAG | 180 | SST | 3000 | 2802 | 2613 | 2432 | 2258 | 2091 | 2724 | 2320 | 1965 | 1654 | 1383 | 1148 | 0 | -2.9 | -11 | -24.9 | -45.7 | 0.48 |
| 300WMSCA | 300 WIN. MAG | 180 | SCIROCCO | 3020 | 2836 | 2660 | 2491 | 2328 | 2171 | 2760 | 2284 | 1870 | 1516 | 1218 | 976 | 0 | -2.8 | -10.6 | -23.9 | -43.7 | 0.52 |
| 308HSA | 308 WINCHESTER | 150 | SST | 2860 | 2639 | 2429 | 2229 | 2037 | 1857 | 2671 | 2283 | 1941 | 1640 | 1378 | 1150 | 0 | -3.4 | -12.7 | -29.3 | -54.2 | 0.415 |
| 308HSC | 308 WINCHESTER | 180 | SST | 2570 | 2390 | 2218 | 2053 | 1895 | 1745 | 2659 | 2299 | 1978 | 1693 | 1441 | 1221 | 0 | -4.6 | -16.3 | -36.3 | -66 | 0.48 |
| 308SCA | 308 WINCHESTER | 150 | SCIROCCO | 2875 | 2661 | 2457 | 2262 | 2076 | 1899 | 2709 | 2337 | 2007 | 1714 | 1456 | 1230 | 0 | -3.4 | -12.6 | -28.6 | -52.7 | 0.43 |
| 65CMHSA | 6.5 CREEDMOOR | 129 | SST | 2820 | 2632 | 2452 | 2279 | 2113 | 1954 | 2838 | 2472 | 2145 | 1852 | 1591 | 1361 | 0 | -3.5 | -12.9 | -28.9 | -51.6 | 0.485 |
| 65CMSCA | 6.5 CREEDMOOR | 130 | SCIROCCO | 2820 | 2660 | 2505 | 2356 | 2212 | 2073 | 2860 | 2480 | 2141 | 1839 | 1572 | 1337 | 0 | -3.4 | -12.4 | -27.6 | -50 | 0.571 |
| 7MM08HSA | 7MM-08 REM. | 139 | SST | 2800 | 2613 | 2434 | 2262 | 2097 | 1939 | 3028 | 2629 | 2274 | 1957 | 1675 | 1427 | 0 | -3.6 | -13.1 | -29.4 | -54.5 | 0.486 |
| 7RMHSA | 7MM REM. MAG. | 154 | SST | 3100 | 2915 | 2737 | 2567 | 2403 | 2244 | 3597 | 3112 | 2682 | 2301 | 1963 | 1665 | 0 | -2.6 | -9.8 | -22.4 | -41 | 0.525 |
| 7RMSCA | 7MM REM. MAG. | 150 | SCIROCCO | 3100 | 2911 | 2731 | 2557 | 2390 | 2229 | 3597 | 3138 | 2730 | 2364 | 2038 | 1748 | 0 | -2.6 | -9.9 | -22.5 | -41.2 | 0.515 |

HYPERFORMANCE MATCH

| ITEM NUMBER | CALIBER | GRAIN | TYPE | VELOCITY IN FEET PER SECOND +/- 10 FT/S | | | | | ENERGY IN FEET PER POUND +/- 5 FT/P | | | | | TRAJECTORY DROP | | | | | B.C | | |
|-------------|----------------|-------|---------|---|--------|--------|--------|--------|-------------------------------------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|-------|--------|--------|
| | | | | MUZZLE | 100 Y. | 200 Y. | 300 Y. | 400 Y. | 500 Y. | MUZZLE | 100 Y. | 200 Y. | 300 Y. | 400 Y. | 500 Y. | 100 Y. | 200 Y. | 300 Y. | | 400 Y. | 500 Y. |
| 223MKC | 223 REMINGTON | 69 | HPBT MK | 2850 | 2553 | 2275 | 2014 | 1772 | 1553 | 1137 | 870 | 657 | 487 | 354 | 253 | 0 | -3.9 | -14.5 | -34 | -64.7 | 0.301 |
| 223MKD | 223 REMINGTON | 77 | HPBT MK | 2725 | 2480 | 2248 | 2029 | 1823 | 1632 | 1244 | 998 | 793 | 621 | 481 | 370 | 0 | -4.2 | -15.3 | -34.9 | -65 | 0.362 |
| 300WMMKC | 300 WIN. MAG | 190 | HPBT MK | 2900 | 2726 | 2558 | 2396 | 2241 | 2091 | 2640 | 2283 | 1966 | 1684 | 1435 | 1217 | 0 | -4.6 | -16.3 | -36.3 | -47.8 | 0.533 |
| 308MKB | 308 WINCHESTER | 168 | HPBT MK | 2650 | 2460 | 2278 | 2104 | 1938 | 1780 | 2753 | 2358 | 2011 | 1704 | 1435 | 1201 | 0 | -3.4 | -12.6 | -28.6 | -62.3 | 0.462 |
| 308MKD | 308 WINCHESTER | 175 | HPBT MK | 2595 | 2420 | 2252 | 2090 | 1929 | 1778 | 2782 | 2354 | 1981 | 1655 | 1373 | 1130 | 0 | -3.4 | -12.8 | -35.1 | -63.7 | 0.496 |
| 65CMMKC | 6.5 CREEDMOOR | 142 | HPBT MK | 2675 | 2530 | 2389 | 2254 | 2122 | 1995 | 2849 | 2430 | 2062 | 1739 | 1456 | 1211 | 0 | -3.3 | -12.2 | -30.9 | -55.5 | 0.611 |

*V-Max is a registered trademark of Hornady Manufacturing, Inc.

HISTORY




Fiocchi was founded in 1876 in Lecco Italy and has been producing high quality ammunition ever since. In the 1950s, Fiocchi began importing ammunition into the United States and by the 1980s demand had grown and the decision was made to build a manufacturing facility in the US to help service the US market.

In 1983 a site in Ozark, Missouri was chosen, right in the heart of America, and a facility was built on a former dairy farm. Since then we have continued to grow and expand, currently employing nearly 300 hardworking Americans to

produce some of the highest quality shotshell and centerfire ammunition available. While the company still has roots in Italy and receive a portion of our products from our facility in Lecco, around 80% of Fiocchi brand products that are sold in the US market are loaded right here in Ozark or in our new facility near Little Rock, Arkansas.


While we continue to grow, we remain true to both our Italian and American heritage and lineage and will continue to focus on quality craftsmanship, innovation, and unequaled customer service for many years to come.



PARTNERSHIPS







CHAMBER
 UNLESS OTHERWISE NOTED
 ALL DIA. +.005 (0.13)
 LENGTH TOL +.050 (1.27)



Member of **CSG** Czechoslovak Group

