




*FIOCCHI.
LEGACY IN MOTION*

EST. 1876

**20
26**

LEGACY TRIBUTE

GUILIO FIOCCHI



Giulio Fiocchi founded Fiocchi Munizioni in Lecco, Italy, in 1876, transforming a struggling business into a respected manufacturer of sporting and military ammunition. Guided by precision, craftsmanship, and family leadership, the company grew through major industrial advances and endured two World Wars.

Today, Fiocchi Remains rooted in Lecco with a strong U.S. presence in Ozark, Missouri, producing top-quality sporting, hunting, and defense ammunition. Across 150 years, the commitment Giulio established—quality, reliability, and continuous innovation—still defines every Fiocchi product.

We're honoring 150 Years of Innovation with our Limited Anniversary Edition Collectible Boxes in 2026.

150 YEAR LEGACY — 4



SHOTSHELL — 6

CENTERFIRE RIFLE — 36

PISTOL & REVOLVER — 50

RIMFIRE — 62

BALLISTICS — 68



EXPLORE OUR 150 YEAR LEGACY



Member of **CSG** Czechoslovak Group

FOUNDING ERA 1876-1920's

GROWTH & INNOVATION 1932-1960's

GLOBAL EXPANSION 1970-1996

MODERN ERA 2000-2020

1876

Founding of Fiocchi
Giulio Fiocchi establishes the company in Lecco, Italy, providing cartridges for breech-loading firearms and percussion caps.

1887

Giulio Marries Giuseppina Cantù
Marks the start of the Fiocchi family dynasty and enduring family stewardship of the company.

1903 – 1907

Diversification Begins
Fiocchi expands into button manufacturing using cartridge brass scraps; opens the Caroncino button plant.

1916

Passing of Founder Giulio Fiocchi
Leadership transitions to his sons Carlo and Pietro, beginning the second Fiocchi generation.

1920s

Postwar Modernization & New Products
Company rebuilds, introduces automatic clay pigeon launchers (Velox), expands button production, and forms UVM sale consortium with Beaux and Piloni.

1935 – 1939

Expansion and Social Programs
Company invests in worker housing and schools; establishes SACAM for zippers and small metal parts.

1947

Postwar Rebirth
Production resumes; introduces SUR (non-corrosive) primer and advanced button-making automation.

1959 – 1967

Plastic Shotshell Hull Innovation
Fiocchi pioneers the transition to plastic shotshell hulls; industrial production begins in 1967.

1976 – 1977

International Expansion
Fiocchi Hellas (Greece) and Fiocchi España established; reinforces European and global reach.

1983

Fiocchi U.S. Operations Begin
Fiocchi of America is founded in Ozark, Missouri; becomes a key global production and distribution hub for the business.

1990s

Global Modernization & Efficiency Drive
Establishes subsidiaries and joint ventures in Europe and abroad; focuses on military, law enforcement, and export growth.

2010s

Innovation & International Leadership
Major investments in automation, new defense product lines, and environmentally responsible components.

1878 – 1880

Early Success and Innovation
Company overcomes startup challenges; introduces brass in place of copper for primers and begins manufacturing its own gunpowder.

1888 – 1899

Rapid Expansion
Production increases dramatically; Fiocchi purchases the Castello factory from the Badoni family for 100,000 lire, solidifying its industrial base.

1909 – 1913

Belledo Factory Construction
New Belledo plant established to increase production capacity and improve safety; early automation begins.

1915 – 1918

World War I Production
Fiocchi supplies millions of cartridges and detonators for the Italian Army, marking the company's first major defense contracts.

1932

Incorporation as S.A. Giulio Fiocchi
Fiocchi becomes a joint-stock company with 6 million lire in capital; ammunition gains global reputation after Olympic gold by Renzo Morigi using Fiocchi rounds.

1940 – 1945

World War II & Occupation
Produces military ammo, facilities bombed in 1945 but rebuilt without external aid.

1950s

Economic Miracle & Growth
Massive modernization; launches .22 rimfire and Flobert cartridges; rapid export growth under third Fiocchi generation.

1966

90th Anniversary & Papal Audience
Fiocchi employees and family received by Pope Paul VI in Rome; company recognized as global leader.

1973

Entry into the U.S. Market
Giulio Fiocchi Inc. est. in Charleston, SC; foundation for future Fiocchi of America operations.

1980s

Fiocchi Group Formation
Creates Fiocchi Munizioni (ammunition) and Fiocchi Snaps (buttons) under a holding company for strategic flexibility.

1991

Sale of Button Division
Fiocchi sells button business to Prym, focusing fully on ammunition as its core business.

2002 – 2007

Strategic Partnerships & New Materials
Creates IAG (Italian Ammunition Group) with Baschieri & Pellagri; launches lead-free ZP primers and expands sustainable production.

2020s

Global Expansion & Strategic Ownership
The Fiocchi Group is purchased by Czechoslovak Group (CSG); Fiocchi of America joins The Kinetic Group under CSG ownership; expanding global footprint while maintaining Lecco as its historic heart.



A PATTERN OF SUCCESS

DEPENDABILITY EVERY SINGLE TIME.

From quail fields and duck blinds to Olympic podiums and everything in-between, Fiocchi shotshells lead the industry in reliable operation and downrange performance for waterfowl, upland, clays, defense, and top-level competition. Our craftsmanship heritage blends with the latest technology and component innovation to ensure gold-medal results in every shotgun endeavor.

WAD

Fiocchi wad technology produces dense, consistent patterns for phenomenal hunting and clay busting performance.

PRIMER

Fiocchi's shotshell primers are more sensitive and responsive for consistent reliability.

SHOT

Fiocchi triple filters its shot yielding the most spherical and uniform pellets for the most effective patterning.

POWDER

Fiocchi's powder blend is formulated for cleanliness, consistency and reduced recoil.





TEXAS WHITE WING

Designed for dedicated dove hunters, Texas White Wing offers the perfect mix of pattern density and velocity to keep you in the action from sunrise to sunset. Whether you're in the vast fields of Texas or your favorite local hunting spot, trust Fiocchi to deliver heritage, consistency, and the knockdown power you demand.

Plus, it all comes in a convenient 4-box carton with a sturdy field handle—making it easy to carry and the envy of everyone in the field. Practical, portable, and performance-focused.



TEXAS WHITE WING						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
NEW 12TWW187	12	2-3/4"	Lead	1-1/8		7.5

ARKANSAS STEEL WATERFOWL



Arkansas Steel was crafted for the grit and grind of waterfowl season — whether you're hunkered in flooded timber or posted up in a blind along the flyway. With tight patterning and reliable cycling, it's the go-to load when every shot matters and limits are on the line.

And for added convenience, it comes packed in a rugged 4-box field carton with a sturdy carry handle — ready to roll, no matter where your next hunt takes you. Reliable. Packable. Purpose-built.



ARKANSAS STEEL WATERFOWL						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
NEW 123ADS2	12	3"	Steel	1-1/8	1550	2
NEW 123ADS3	12	3"	Steel	1-1/8	1550	3
NEW 123ADS4	12	3"	Steel	1-1/8	1550	4



GOLDEN WATERFOWL

Fiocchi waterfowl steel-shot is precise, powerful, reliable shotshells for maximum performance.



GOLDEN WATERFOWL						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
123SGWBB	12	3"	Plated Steel	1-1/4	1350	BB
123SGW1	12	3"	Plated Steel	1-1/4	1350	1
123SGW2	12	3"	Plated Steel	1-1/4	1350	2
123SGW3	12	3"	Plated Steel	1-1/4	1350	3
123SGW4	12	3"	Plated Steel	1-1/4	1350	4

GOLDEN WATERFOWL BISMUTH



With Fiocchi's alternative material Golden Waterfowl Bismuth, flaring waterfowl won't stand a chance. The high velocity paired with greater energy transfer, dense patterns and extended ranges makes you the deadliest wing shooter in the duck blind this season. Fiocchi uses high density 9.75g/cc bismuth in a precision loaded, moisture resistant, sealed hull that will provide you with the best performance shot after shot. No one else can deliver more lethality at an effective price from a trusted brand.



GOLDEN WATERFOWL BISMUTH						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
123GB2	12	3"	Bismuth	1-3/8	1450	2
123GB4	12	3"	Bismuth	1-3/8	1450	4
123GB6	12	3"	Bismuth	1-3/8	1450	6
203GB4	20	3"	Bismuth	1-1/16	1250	4
283GB4	28	3"	Bismuth	15/16	1350	4



SPEED sTEAL

Made specifically for targeting early season teal.



FLYWAY SPEED sTEAL SERIES						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12FST4	12	2-3/4"	Plated Steel	1-1/8	1415	4
12FST6	12	2-3/4"	Plated Steel	1-1/8	1415	6

FLYWAY SERIES



Whether shooting mallards over decoys or pass-shooting geese at ultra-long-range, Fiocchi Flyway® steel shotshells come in a wide variety of loads to suit your specific needs. Flyway Series shotshells combine treated steel shot, protective wads, and matched powders to deliver reliably dense patterns and confident terminal performance from a load that is easy on your shoulder, but hard on your target. When you must use steel shot, there is a Fiocchi Flyway shotshell you can depend on.



FLYWAY SERIES						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
1235ST1	12	3-1/2"	Plated Steel	1-3/8	1470	1
1235ST2	12	3-1/2"	Plated Steel	1-3/8	1470	2
1235ST3B	12	3-1/2"	Plated Steel	1-3/8	1470	BBB
1235STBB	12	3-1/2"	Plated Steel	1-3/8	1470	BB
123ST1	12	3"	Plated Steel	1-1/8	1500	1
123ST151	12	3"	Plated Steel	1-1/8	1550	1
123ST152	12	3"	Plated Steel	1-1/8	1550	2
123ST153	12	3"	Plated Steel	1-1/8	1550	3
123ST154	12	3"	Plated Steel	1-1/8	1550	4
123ST15B	12	3"	Plated Steel	1-1/8	1550	BB
123ST2	12	3"	Plated Steel	1-1/8	1500	2
123ST3	12	3"	Plated Steel	1-1/8	1500	3
123ST4	12	3"	Plated Steel	1-1/8	1500	4
123ST6	12	3"	Plated Steel	1-1/8	1500	6
123STBB	12	3"	Plated Steel	1-1/8	1500	BB
203ST2	20	3"	Plated Steel	7/8	1500	2
203ST3	20	3"	Plated Steel	7/8	1500	3
203ST4	20	3"	Plated Steel	7/8	1500	4





GOLDEN GOOSE

Waterfowl shotshells reach the zenith with Focchi's standout Golden Goose, back by popular demand. Focchi combines the industry's best plated steel shot with heavy-duty wads, no-fail primers, and carefully selected powders. With exhaustive ballistic and field testing, the results are a large waterfowl load heralded worldwide for its accuracy, dense patterns, high velocity, and easy-shooting nature.

FIOCCHI PELLET BREAKDOWN

Pellet count plays a major role in pattern density and downrange performance. Use the chart below to see how different shot sizes and payload weights stack up, so you can select the ideal load for upland game, waterfowl, or target shooting.

SHOTSHELL	SHOT PELLET COUNT								
	3/4	7/8	1	1 1/8	1 1/8	1 1/4	1 1/4	1 5/16	1 5/8
7	315	368	420						
6	237		316	356					
4	143	167	191	215	230	239	263		
3	115	134		172	183	191	210		
2		109		141	150	156	172		
1				116	124	129	142	161	167
BB				81	86	90	99	113	117
BBB				69		76	84	95	101
T					66	73	83	84	

Chart depicts pellet count based on payload vs. shot size



GOLDEN GOOSE							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
1235GG1	12	3-1/2"	Plated Steel	1-5/8	1430	1	
1235GG2	12	3-1/2"	Plated Steel	1-5/8	1430	2	
1235GG3B	12	3-1/2"	Plated Steel	1-5/8	1430	BBB	
1235GGBB	12	3-1/2"	Plated Steel	1-5/8	1430	BB	
1235GGT	12	3-1/2"	Plated Steel	1-5/8	1430	T	



GOLDEN TURKEY TSS


Dense patterns, deep penetration, and long-range performance combine for the ultimate tungsten turkey hunting load. Fiocchi's Golden Turkey TSS brings performance head and neck above the rest. Three-inch offerings in 12-gauge, 20-gauge, 410 bore and now 28-gauge deliver hard-hitting knockdown power using the finest 18 g/cc tungsten shot and most consistent patterns on the market. The Fiocchi product development team has developed a true, high-grade load proven effective against the toughest of birds. Avid turkey hunters know the Fiocchi Golden Turkey TSS difference.

GOLDEN TURKEY

Experience perfected power, clean precision, and unmatched performance.



GOLDEN TURKEY						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
123TRKC4	12	3"	Lead	1-3/4	1200	4
123TRKC5	12	3"	Lead	1-3/4	1200	5
123TRKC6	12	3"	Lead	1-3/4	1200	6



GOLDEN TURKEY TSS						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
123TSS7	12	3"	Tungsten	1-5/8	1200	7
123TSS9	12	3"	Tungsten	1-5/8	1200	9
203TSS9	20	3"	Tungsten	1-3/8	1225	9
283TSS9	28	3"	Tungsten	1-1/16	1350	9
410TSS9	410 BORE	3"	Tungsten	13/16	1100	9



GOLDEN PHEASANT BISMUTH

Hard-hitting, alternative material bismuth for consistent upland performance.




GOLDEN PHEASANT BISMUTH						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12GPB4	12	2-3/4"	Bismuth	1-1/4	1400	4
12GPB6	12	2-3/4"	Bismuth	1-1/4	1400	6

GOLDEN PHEASANT



Fast-paced upland hunting requires hard-hitting pellets delivered on target and with an authoritative punch. Focchi's Golden Pheasant does exactly that, courtesy of precision nickel-plated lead shot and innovative wads that provide the kind of consistent, optimized patterns and velocities needed to bring down challenging birds.



GOLDEN PHEASANT						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12GP	12	2-3/4"	Nickel Plated	1-3/8	1250	4, 5, 6
12GPX	12	2-3/4"	Nickel Plated	1-3/8	1485	4, 5, 6
123GP	12	3"	Nickel Plated	1-3/4	1200	4, 5, 6
16GP	16	2-3/4"	Nickel Plated	1-1/8	1310	5, 6
20GP	20	2-3/4"	Nickel Plated	1	1245	5, 6, 7.5
203GP	20	3"	Nickel Plated	1-1/4	1200	4, 5, 6
28GP	28	2-3/4"	Nickel Plated	7/8	1300	5, 6, 7.5
283GP	28	3"	Nickel Plated	1-1/16	1200	5, 6, 7.5





FIELD DYNAMICS HIGH VELOCITY




From October squirrels to flushing grouse, the Focchi High Velocity line of hunting shotshells have a proven reputation in the field for putting wild game on the table. Utilizing the same attention to high-quality components and industry-leading manufacturing standards as in Focchi's up-level waterfowl and competition shotshells means High Velocity loads deliver reliable cycling and exceptional downrange performance in every cartridge...no matter the game or the season.

FIELD


UPLAND STEEL

Versatile, high-quality shotshells for every hunt, including alternative material options.



FIELD DYNAMICS UPLAND STEEL

ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12HVST4	12	2-3/4"	Steel	1-1/8	1400	4
12HVST6	12	2-3/4"	Steel	1-1/8	1400	6



FIELD DYNAMICS HIGH VELOCITY

ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12HV	12	2-3/4"	Lead	1-1/4	1330	4, 5, 6, 7.5, 8, 9
123HV	12	3	Lead	1-3/4	1330	4, 5, 6
16HV	16	2-3/4"	Lead	1-1/8	1300	5, 6, 7.5
20HV	20	2-3/4"	Lead	1	1220	5, 6, 7.5, 8, 9
203HV	20	3	Lead	1-1/4	1200	4, 5, 6, 7.5, 8
28HV	28	2-3/4"	Lead	3/4	1300	6, 7.5, 8, 9
283HV	28	3	Lead	1	1300	5, 6, 7.5, 8
410HV	410 BORE	3	Lead	1-1/16	1140	6, 7.5, 8, 9


SHOTSHELLS



FIELD

BUCKSHOT & SLUG

Proven 12-gauge loads for hunting versatility and reliable home defense.




FIELD DYNAMICS BUCKSHOT & SLUG

ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12LES LUG	12	2-3/4"	Lead	7/8	1300	SLUG
12FHV9P	12	2-3/4"	Nickel Plated	9	1325	9 PELLET
12HV9P	12	2-3/4"	Nickel Plated	9	1325	9 PELLET
12HV4BK	12	2-3/4"	Nickel Plated	27	1325	4BK

FIELD DYNAMICS DOVE & QUAIL



For most sporting enthusiasts, dove hunting is more than getting birds in the bag. It is also about tradition and heritage. That heritage lives in every load of FIOCCHI Dove & Quail. Our #7.5 and #8 chilled lead shot is backed by carefully designed wads and propelled by top-grade powder to deliver predictable shot patterns and reliable cycling with all-day shooting comfort.



FIELD DYNAMICS DOVE & QUAIL

ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12GT	12	2-3/4"	Lead	1	1250	7.5, 8
12GTX18	12	2-3/4"	Lead	1-1/8	1250	7.5, 8
16GT	16	2-3/4"	Lead	1	1165	7.5, 8
20GT	20	2-3/4"	Lead	7/8	1210	7.5, 8
28GT	28	2-3/4"	Lead	3/4	1200	8
410GT	410 BORE	2-1/2"	Lead	1/2	1200	8

SHOTSHELLS



COMPETITION



CRUSHER



We called this load Crusher for a reason — it crushes targets in sporting clays, skeet, trap, and five-stand while still delivering less felt recoil and a more consistent pattern than competing brands. Loaded with high-quality Fiochi components, this ammunition delivers the reliable performance you demand in a competition load.

SUPER CRUSHER

Super Crushers use cushioned wads, clean powders to crush clays.



SUPER CRUSHER							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12LES LUG	12	2-3/4"	Lead	7/8	1300	SLUG	



CRUSHER							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12CRSR75	12	2-3/4"	Lead	1	1300	7.5	
12CRSR8	12	2-3/4"	Lead	1	1300	8	

CRUSHER SPREADER							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12CPTR8	12	2-3/4"	Lead	1	1300	8	

SHOT SHELLS



WHITE RINO LITE

Built for long training days, offering softer recoil without sacrificing performance—delivering smooth cycling and clay-crushing power at 1,150 fps.



WHITE RINO LITE						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12WRNL75	12	2-3/4"	Lead	1-1/8	1200	7.5
12WRNL8	12	2-3/4"	Lead	1-1/8	1200	8
12WRNL9	12	2-3/4"	Lead	1-1/8	1200	9

WHITE RINO SUPER LITE						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12WRSL75	12	2-3/4"	Lead	1-1/8	1150	7.5
12WRSL8	12	2-3/4"	Lead	1-1/8	1150	8

WHITE RINO



One of Fiocchi's most respected and well-known lines of target shotshells is the White Rino. They are designed for discriminating shooters who favor a softer recoil for high-volume range days but with a dense pattern and velocity that will reach out there. White Rino shotshells mix clean-burning powders, one-piece cushioned wads, and high antimony shot for an excellent shooting experience in SxS, O/U, and semi-autos alike.



WHITE RINO						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12WRN075	12	2-3/4"	Lead	1-1/8	1250	7.5
12WRN08	12	2-3/4"	Lead	1-1/8	1250	8

WHITE RINO CRUSHER						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12WRCSR7	12	2-3/4"	Lead	1-1/8	1300	7.5
12WRCSR8	12	2-3/4"	Lead	1-1/8	1300	8

WHITE RINO INTERNATIONAL 24 GRAM						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12IN2475	12	2-3/4"	Lead	24	1350	7.5
12IN249	12	2-3/4"	Lead	24	1350	9

WHITE RINO SPREADER						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12SSCX8	12	2-3/4"	Lead	1-1/8	1250	8



STEEL TARGET



All the performance of Fiocchi target shotshell but with a steel payload, Fiocchi Steel Target provides a shot that is optimized for exceptional ballistic performance. Our powder blend is formulated for cleanliness, consistency, and reduced recoil. For your environmentally-friendly target shotshell option, put your trust in Fiocchi Steel Target.

LITTLE RINO

The Fiocchi Little Rino is a 1-ounce, 1250 fps target handicap load designed for sporting clays, delivering explosive performance and a winning edge for competitors.



LITTLE RINO						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12TX75	12	2-3/4"	Lead	1	1250	7.5
12TX8	12	2-3/4"	Lead	1	1250	8

PAPER LITTLE RINO						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12FPTX75	12	2-3/4"	Lead	1	1250	7.5
12FPTX8	12	2-3/4"	Lead	1	1250	8



STEEL TARGET						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12S1187	12	2-3/4"	Steel	1-1/8	1375	7
12SLR7	12	2-3/4"	Steel	1	1200	7
20SLR7	12	2-3/4"	Steel	7/8	1225	7



VIP



Fiocchi VIP Target Loads are built on a legacy of success as the best sub-gauge range ammunition available for competitive shooters. VIP is purpose-built to meet Olympic and world-class shooters' no-compromise performance by employing the highest-quality components derived through extensive load development and in-field-testing. Now you can rely on the same quality loads the champions use.



VIP HEAVY

Available for 20- and 28-gauge 2 3/4-inch chambers—deliver authoritative 7/8-oz (20) and 3/4-oz (28) payloads at 1,250 fps and 1,300 fps respectively, taking sub-gauge competition ammo to the next level and breaking fringe targets.

VIP HEAVY						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
20VIPH75	20	2-3/4"	Lead	7/8	1250	7.5
20VIPH8	20	2-3/4"	Lead	7/8	1250	8
28VIPH75	28	2-3/4"	Lead	3/4	1300	7.5
28VIPH8	28	2-3/4"	Lead	3/4	1300	8



VIP						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
20VIP75	20	2-3/4"	Lead	7/8	1200	7.5
20VIP8	20	2-3/4"	Lead	7/8	1200	8
20VIP9	20	2-3/4"	Lead	7/8	1200	9
28VIP75	28	2-3/4"	Lead	3/4	1200	7.5
28VIP8	28	2-3/4"	Lead	3/4	1200	8
28VIP9	28	2-3/4"	Lead	3/4	1200	9
410VIP75	.410	2-1/2"	Lead	1/2	1250	7.5
410VIP8	.410	2-1/2"	Lead	1/2	1250	8
410VIP9	.410	2-1/2"	Lead	1/2	1250	9



3 GUN

Provides low recoil and flawless reliability, giving serious 3-Gun shooters the winning edge.

SHOOTING DYNAMICS 3 GUN							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12BK3G00	12	2-3/4"	Lead	9	1250	9 PELLETT	
12DH3G75	12	2-3/4"	Lead	1-1/8	1200	7.5	
12DL3G75	12	2-3/4"	Lead	1	1170	7.5	
12SLG3G	12	2-3/4"	Lead	7/8	1300	SLUG	

SHOOTING DYNAMICS LOW RECOIL							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12780Z75	12	2-3/4"	Lead	7/8	1200	7.5	
12780Z8	12	2-3/4"	Lead	7/8	1200	8	
20LITE75	20	2-3/4"	Lead	3/4	1075	7.5	

SHOOTING DYNAMICS

Affordable price does not mean compromised performance—at least not when you are talking about Fiocchi's Shooting Dynamics line of clay shotshells. Shooting Dynamics ammo is designed to provide shooters the best-performing shotshells at the best possible price. Powered by Fiocchi's industry-leading primers, Shooting Dynamics blends first-run chilled lead shot with one-piece cups, cushioned wads, and clean-burning powder for reliability and downrange performance that belies its price point.




SHOOTING DYNAMICS							
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT	
12SD18H7	12	2-3/4"	Lead	1-1/8	1200	7.5	
12SD18H8	12	2-3/4"	Lead	1-1/8	1200	8	
12SD18L7	12	2-3/4"	Lead	1-1/8	1165	7.5	
12SD18L8	12	2-3/4"	Lead	1-1/8	1165	8	
12SD18L9	12	2-3/4"	Lead	1-1/8	1165	9	
12SD18X7	12	2-3/4"	Lead	1-1/8	1250	7.5	
12SD18X8	12	2-3/4"	Lead	1-1/8	1250	8	
12SD1H75	12	2-3/4"	Lead	1	1200	7.5	
12SD1H8	12	2-3/4"	Lead	1	1200	8	
12SD1H9	12	2-3/4"	Lead	1	1200	9	
12SD1L75	12	2-3/4"	Lead	1	1170	7.5	
12SD1L8	12	2-3/4"	Lead	1	1170	8	
12SD1X75	12	2-3/4"	Lead	1	1250	7.5	
12SD1X8	12	2-3/4"	Lead	1	1250	8	
12SD78H7	12	2-3/4"	Lead	7/8	1350	7.5	
12SD78H8	12	2-3/4"	Lead	7/8	1350	8	
12SDHV75	12	2-3/4"	Lead	1-1/8	1280	7.5	
12SDHV8	12	2-3/4"	Lead	1-1/8	1280	8	

SHOTSHELLS



DEFENSE DYNAMICS

If there is one firearm platform that offers the most diverse home defense and close-quarter engagement capabilities, it is the shotgun. Fiocchi offers reliable and effective defensive shotgun ammo for both civilians and law enforcement professionals through the Defense Dynamics line. Chambered for 2-3/4-inch 12-gauge, Defense Dynamics shotshells are available in a one-ounce slug, defense buck, breaching slug, rubber buck, and rubber slug. They are made with the same demanding quality and component requirements as the company's top-end ammunition.



DEFENSE DYNAMICS						
ITEM NUMBER	GAUGE	LENGTH	TYPE	OZ.	FPS	SHOT
12SLUG	12	2-3/4"	Lead	1	1560	SLUG
12LRSLUG	12	2-3/4"	Lead	1	1150	SLUG
12LE9P	12	2-3/4"	Lead	9 PELLET	1150	1BK
12EX9P	12	2-3/4"	Lead	9 PELLET	1250	1BK
12BK008	12	2-3/4"	Lead	8 PELLET	1325	00BK
12LERB10	12	2-3/4"	Rubber	15 PELLET	790	15 PELLET
12LEBRE	12	2-3/4"	Breaching Slug	1	1045	SLUG
12LEBAT	12	2-3/4"	Rubber	1	740	SLUG



CENTERFIRE



150 YEARS OF PRECISION

HERITAGE. INNOVATION. PERFORMANCE.

Fiocchi's centerfire rifle ammo blends Old World craftsmanship with industry leading material technology and component engineering to deliver ammunition that meets the accuracy and dependability requirements of the most demanding shooters.

BRASS CASE

Fiocchi makes brass cases with the ideal hardness and dimensional tolerances to ensure reliable function.

PRIMER

Fiocchi primers are more sensitive and responsive for consistent and reliable ignition, every time.

BULLET

High-quality materials combine with precision manufacturing to create bullets with predictable flight characteristics and terminal performance.

POWDER

Extensive powder testing and load development means powder charges with stable burn rates essential for accuracy.



HUNT



BACKWOODS HUNTER

Why hunt with soft lead when you can hit like a hammer? This all-copper bullet is built for serious hunters who demand no-nonsense performance, shot after shot. It drives deep, hits hard, and flies flat—delivering lethal impact on whitetail, black bear, hogs, coyotes, or anything else that crosses your path. With superior pass-through penetration and controlled expansion, this all-copper design ensures overwhelming energy transfer for exacting results.




BACKWOODS HUNTER					
ITEM NUMBER	CALIBER	TYPE	GR.	FPS	
NEW 243CHA	243 Win	Copper Hollow Point	80	3415	
NEW 270CHA	270 Win	Copper Hollow Point	130	3100	
NEW 65CMCHA	6.5 Creedmoor	Copper Hollow Point	120	2900	
NEW 7MM08CHA	7mm-08 Rem	Copper Hollow Point	140	2825	
NEW 7RMCHA	7mm Rem Mag	Copper Hollow Point	160	2935	
NEW 308CHB	308 Win	Copper Hollow Point	150	2900	
NEW 3006CHA	30-06 Springfield	Copper Hollow Point	150	2950	
NEW 300WMCHA	300 Win Mag	Copper Hollow Point	165	3100	

8 CALIBERS



CENTREFIRE

HUNT



FIELD DYNAMICS

Fiocchi's Field Dynamics hunting ammo delivers workhorse reliability—high-quality brass, lead-free primers, predictable powders, and precision bullets—offering V-Max for varmints, tough soft points for big game, and hollow-point flat-noses up to .45-70 at an affordable price.



17 CALIBERS



FIELD DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
NEW 350LB	350 Legend	FSP	180	2100
NEW 360BHB	360 Buckhammer	SP	200	2200
204HVA20	204 Ruger	V-MAX	32	4125
222HVA	222 Rem	V-MAX	50	3200
22250HVB	22-250 Rem	V-MAX	40	4100
22250B	22-250 Rem	PSP	55	3650
22250HVD	22-250 Rem	V-MAX	55	3650
223HVB20	223 Rem	V-MAX	40	3650
223HVA20	223 Rem	V-MAX	50	3300
223B20	223 Rem	PSP	55	3230
223HVC20	223 Rem	V-MAX	55	3240
243SPD	243 Win	PSP	100	3050
2506B	25-06 Rem	PSP	117	2975
65CMB	6.5 Creedmoor	PSP	129	2820
270SPB	270 Win	PSP	130	3010
7MM08B	7mm-08 Rem	PSP	139	2800
7RMA	7mm Magnum	PSP	139	3150
7RMB	7mm Magnum	PSP	175	2850
3006B	30-06 Springfield	PSP	150	2910
3006C	30-06 Springfield	PSP	165	2800
3006D	30-06 Springfield	PSP	180	2700
300WMB	300 Win Mag	PSP	180	3000
3030B	30-30 Win	FSP	150	2390
3030C	30-30 Win	FSP	170	2200
308B	308 Win	PSP	150	2750
308D	308 Win	PSP	165	2700
4570B	45-70 Govt	HPFN	300	1900

CENTERFIRE

HUNT

13

CALIBERS



HYPERFORMANCE HUNT



Maximizing results from “here” to “way out there” is what Fiochi’s Hyperformance Hunt line is all about. Our selection of high coefficient, flat-trajectory bullets carefully engineered for controlled expansion and maximum weight retention across a broad range of velocities provides hunters the confidence of decisive terminal performance on any big game animal.



HYPERFORMANCE HUNT

ITEM NUMBER	CALIBER	TYPE	GR.	FPS
NEW 243TTSX	243 Win	Barnes TTSX	80	3275
NEW 6CMTT	6mm Creedmoor	Barnes TTSX	80	3300
NEW 65CMTTSX	6.5 Creedmoor	Barnes TTSX	120	2900
NEW 65PRCTT	6.5 PRC	Barnes TTSX	120	3070
NEW 308TTSX	308 Win	Barnes TTSX	168	2670
NEW 7PRCTT	7mm PRC	Barnes TTSX	150	3110
223VGNT	223 Rem	Varmint Grenade	50	3300
243HSB	243 Win	SST	95	2950
65CMHSA	6.5 Creedmoor	SST	129	2840
270HSB	270 Win	SST	150	2860
7MM08HSA	7mm-08 Rem	SST	139	2800
7RMHSA	7mm Magnum	SST	154	3100
300BLKHA	300 Blackout	SST	125	2200
308HSA	308 Win	SST	150	2860
308HSC	308 Win	SST	180	2570
3006HSC	30-06 Springfield	SST	180	2675
300WMHSA	300 Win Mag	SST	180	3000


CENTREFIRE



HYPERFORMANCE MATCH



Fiocchi's Hyperperformance Match cartridges are designed from case head to bullet tip with one mission only—synchronize point-of-aim with point-of-impact at extreme distances...shot after shot. With bullets featuring ± 0.0003 concentricity, weight tolerance to ± 0.3 grains, and a profile ensuring a high ballistic coefficient, Hyperperformance Match is the new go-to for precision factory target ammunition that stands neck-and-neck with custom hand loads.



6 CALIBERS



HYPERFORMANCE MATCH					
ITEM NUMBER	CALIBER	TYPE	GR.	FPS	
NEW 6CMRD	6mm Creedmoor	Nosler RDF	105	3025	
NEW 65PRCD	6.5 PRC	Nosler RDF	140	2980	
NEW 7PCRD	7mm PRC	Nosler RDF	185	2750	
223MKC	223 Rem	HPBT MK	69	2850	
223MKD	223 Rem	HPBT MK	77	2725	
65CMMKC	6.5 Creedmoor	HPBT MK	142	2675	
308MKB	308 Win	HPBT MK	168	2650	
308MKD	308 Win	HPBT MK	175	2595	

CENTERFIRE



HYPERFORMANCE DEFENSE SBR



Fiocchi's Hyperperformance Defense rifle line is the ultimate solution for modern self-defense and short-barrel rifle performance. This versatile lineup includes precision-engineered SBR Enhanced ammunition, optimized for short barrels ranging from 7.5" to 11.5", and designed to deliver maximum ballistic and terminal performance. The line also features the cutting-edge 4.6x30mm cartridge—a high-velocity, low-recoil round favored by elite military forces and law enforcement, offering top-tier ballistic results with its 38-grain tipped hollow point.

4 CALIBERS



223 Rem

300 Blackout

300 Blackout-Subsonic

308 Win



HYPERFORMANCE DEFENSE

ITEM NUMBER	CALIBER	TYPE	GR.	FPS
NEW 223SBRD	223 Rem	Polymer Tip Boat Tail	77	2750
NEW 300BKSBA	300 Blackout	Soft Point	125	2200
NEW 300BKSBS	300 Blackout	Subsonic Nosler Ballistic Tip	220	1075
NEW 308SBRA	308 Win	Polymer Tip Boat Tail	125	3250

CENTREFIRE



RANGE DYNAMICS



Some days, it's all about punching holes and ringing steel. Focchi's Range Dynamics centerfire rifle cartridges have you covered for high-volume fun, equipment testing, and skill development. Available for all the popular chamber sizes, Range Dynamics ammunition utilizes flight-stable full metal jacket boat tail bullets combined with the same high-quality components and construction serious shooters have come to expect from Focchi.



6 CALIBERS



RANGE DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
762X39A	7.62x39mm	FMJ	123	2375
46EXA	HK 4.6x30	FMJ	40	1900
223A	223 Rem	FMJBT	55	3240
223C	223 Rem	FMJBT	62	3000
223FRG20	233 Rem	FRANGIBLE	45	3200
300BLKC	300 Blackout	FMJBT	150	1850
300BLKSUB	300 Blackout	HPBT	220	1020
308A	308 Win	FMJBT	150	2890
3006A	30-06 Springfield	FMJBT	150	3000

CENTERFIRE



A PATTERN OF SUCCESS

DEPENDABLE ACCURACY EVERY SINGLE TIME.


Fiocchi's centerfire pistol ammo blends Old World craftsmanship with industry leading material technology and component engineering to deliver ammunition that meets the accuracy and dependability requirements of the most demanding shooters.

BRASS CASE

Fiocchi makes brass cases with the ideal hardness and dimensional tolerances to ensure reliable function.

PRIMER

Fiocchi primers are more sensitive and responsive for consistent and reliable ignition, every time.



BULLET

High-quality materials combine with precision manufacturing to create bullets with predictable flight characteristics and terminal performance.

POWDER

Extensive powder testing and load development means powder charges with stable burn rates essential for accuracy.


DEFENSE



CovertX

Experience a revolution in concealed carry ammunition. Built with precision, this new Jacketed Hollow Point projectile features pre-cut serrations in the lead-alloy core, surrounded by a heavy copper jacket, engineered for precisely regulated expansion. Optimized for performance out of short barrels, but tough enough to withstand full size handgun velocities this projectile holds together perfectly and delivers unmatched performance, and the proprietary design ensures consistent expansion and terminal performance, giving you confidence in every shot.

5 CALIBERS



COVERTX				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
380CCWA	380 Auto	Jacketed Hollow Point	95	1015
38CCWA	38 Special + P	Jacketed Hollow Point	125	1100
9CCWB	9mm Luger	Jacketed Hollow Point	124	1115
357CCWA	357 Magnum	Jacketed Hollow Point	125	1425
45CCWB	45 Auto	Jacketed Hollow Point	230	875

CENTREFIRE

DEFENSE



DEFENSE DYNAMICS

For personal and home protection or the “mean street” beat, FIOCCHI Defense Dynamics covers all the bases. Ranging from .32 Auto through the hard-hitting .44 Magnum and .45 Auto, Defense Dynamics cartridges are centered around precision-manufactured jacketed and semi-jacketed hollow point projectiles to provide maximum defense performance at a reasonable price.



10 CALIBERS



DEFENSE DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
32APHP	.32 Auto	SJHP	60	1100
380APHP	.380 Auto	JHP	90	975
9APBHP	9mm Luger	JHP	124	1,100
9APDHP	9mm Luger	JHP	147	975
9APHP	9mm Luger	JHP	115	1175
38B	.38 Special	JHP	158	850
38E	.38 Special	JHP	148	750
38F	.38 Special	JHP	125	1000
357B	.357 Magnum	JHP	158	1220
357D	.357 Magnum	JHP	125	1450
357E	.357 Magnum	JHP	148	1310
40SWC	40 S&W	JHP	165	1100
40SWE	40 S&W	JHP	180	1000
10APHP	10mm Auto	JHP	180	1250
44SA500	44 Special	SJHP	200	900
44A500	44 Magnum	JSP	240	1310
44B500	44 Magnum	SJHP	200	1475
44D500	44 Magnum	JHP	240	1330
45B500	.45 Auto	JHP	200	890
45T500	.45 Auto	JHP	230	850

CENTREFIRE



5.7x28mm



With multiple flavors of 5.7x28mm ammunition, the fun-factor with your pistol or carbine just grew exponentially! Whether achieving ballistic performance with the 40gr. tipped-hollow point, enjoying the sounds of silence with the 62gr. subsonic, or dumping mags with our bulk pack FMJ, all will perform flawlessly and are unmatched in the industry!

4.6x30

Built and tested to exacting specifications for no-fail performance, Defense Dynamics satisfies the needs of home defenders and defense professionals alike.



DEFENSE DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
46EXB	HK 4.6x30	JSP	40	1900



5.7x28mm				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
57FMJ40	5.7x28mm	Full Metal Jacket	40	1700
57JF35	5.7x28mm	Jacketed Frangible	35	1750
57PT40	5.7x28mm	Tipped Hollow Point	40	1750
57SUB62	5.7x28mm	Subsonic Full Metal Jacket	62	1050

HUNT



HYPERFORMANCE HUNT

HUNT & WILDERNESS DEFENSE

Fiocchi's newest addition to the Hyperperformance Hunt lineup - Handgun Hunting and Wilderness Defense ammunition utilizing the venerable Barnes XPB, all copper hollow point. This hard-hitting projectile features exceptional weight retention, controlled expansion, and deep penetration. Ammunition that is built for the conditions and demands of the modern hunter!



4 CALIBERS



357 Magnum

10mm Auto

44 Magnum

45 Colt



HYPERFORMANCE HUNT				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
357BA	357 Magnum	Barnes XPB	140	1250
10BA	10mm Auto	Barnes XPB	155	1165
44MBA	44 Magnum	Barnes XPB	225	1240
45LCBA	45 Colt	Barnes XPB	200	1010

CENTREFIRE



TRAIN



RANGE DYNAMICS



Whether you are spooling up for the next competition or honing your defensive handgun skills, it all comes down to time on the range pulling triggers. For regular practice sessions and high-volume training days, Fiochi Range Dynamics ammo is the right choice. These cartridges feature full metal jacket bullets in several weights to help match your defensive carry ammo, allowing your training efforts to translate to real-world defense performance.




13 CALIBERS



RANGE DYNAMICS

ITEM NUMBER	CALIBER	TYPE	GR.	FPS
25AP	25 Auto	FMJ	50	800
32AP	32 Auto	FMJ	73	1000
32SWLA	32 S&W Long	FMJ	97	800
380AP	380 Auto	FMJ	95	960
380ARD	380 Auto	FMJ	95	960
9AP	9mm Luger	FMJ	115	1200
9APB	9mm Luger	FMJ	124	1150
9APD	9mm Luger	FMJ	147	975
9APE	9mm Luger	FMJ	158	850
357SIGAP	357 Sig	FMJ	124	1350
38A	38 Special	FMJ	130	950
38C	38 Special	LRN	158	880
38G	38 Special	FMJ	158	730
38LA	38 Special	LWC	148	730
38SA	38 Super	FMJ	129	1150
357F	357 Magnum	FMJTC	142	1420
357GCMJ	357 Magnum	CMJFP	158	1220
40SWA	40 S&W	FMJTC	170	1020
40SWD	40 S&W	FMJTC	180	1000
40SWF	40 S&W	FMJTC	1656	1020
10AP	10mm Auto	FMJTC	180	1250
45A	45 Auto	FMJ	230	860
45LCCMJ	45 Colt	CMJ	255	750

CENTREFIRE



HERITAGE



As one of the world's oldest ammunition manufacturers, Fiocchi knows the classics quite well. We developed our Heritage line of ammo to merge state-of-the-art materials and manufacturing processes with Old-World craftsmanship, a hallmark of Fiocchi cartridges for over 145 years. Fiocchi's Heritage is the perfect companion for classic and heirloom firearms that are not ready for the collector box.



HERITAGE				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
765A	30 Luger	FMJ	93	1200
762A	7.62 Nagant	FMJ	97	785
765B	30 Luger	SJSP	93	1210
762TOK	7.62 Tokarev	FMJ	85	1525
763A	7.63 Mauser	FMJ	88	1425
8G	8mm Gasser	FMJ	126	790
8L	8mm Lebel	FMJ	111	880
8S	8mm Steyr	FMJ	113	1070
9MAK	9mm Makarov	FMJ	95	1020
9SA	9mm Steyr	FMJ	115	1080
9X18	9x18mm Ultra	FMJTC	100	1065
9X21	9x21mm IMI	FMJTC	123	1220
455A	455 Webley	LRN	262	850



COWBOY ACTION

Blends Old-World craftsmanship with smokeless powder, coated bullets, and non-corrosive primers for smooth, reliable shooting.

COWBOY ACTION				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
32LA	32 S&W Long	LWC	100	730
32SWLL	32 S&W Long	LFP	97	800
38SWSHL	38 S&W Short	LRN	145	720
38CA	38 Special	LFP	158	640
444OCA	44-40 Win	LRNFP	210	725
44SCA	44 Special	LFP	210	750
44SWR	44 S&W Russian	LRN	247	820
45LCCA	45 Colt	LRNFP	250	750
38SWSHA	38 S&W Short	FMJ	145	720


COWBOY ACTION (RIFLE)				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
4570A	45-70 Govt	LRNFP	405	1185

CENTREFIRE



RANGE DYNAMICS


Fiocchi .22LR offers 40-grain bullets for training and fun.



RANGE DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
22FLRN	22 LR	LRN	40	1050
22FWMC	22 Win Mag	TMJ	40	1900

FIELD DYNAMICS

Small game hunting and silhouette shooting are BACK, and Fiocchi helps you get the most out of your field and range adventures with bulk-quantity Field Dynamics .22LR cartridges. Offered in 40- and 38-grain bullet weights, Field Dynamics .22LR is available in copper-plated round nose and copper-plated hollow point for optimal terminal performance on small game and varmints. For a more discrete noise signature, check out our subsonic .22LR hollow point.



FIELD DYNAMICS				
ITEM NUMBER	CALIBER	TYPE	GR.	FPS
22FFHVCR	22 LR	CPRN	40	1250
22FHPSUB	22 LR	HP	40	1060
22FHVCHP	22 LR	CPHP	38	1250
22FHVCRN	22 LR	CPRN	40	1250
22FWMA	22 Win Mag	JSP	40	1910
22FWMB	22 Win Mag	JHP	40	1910



DELTA WATERFOWL

Delta Waterfowl works to produce ducks through intensive management programs and the conservation of breeding duck habitats. Delta conducts vital waterfowl research and promotes and protects the future of waterfowl hunting tradition in North America. Visit deltawaterfowl.org



NATIONAL WILD TURKEY FEDERATION

The National Wild Turkey Federation is dedicated to the conservation of the wild turkey and the preservation of our hunting heritage. Visit nwtf.org



BOONE AND CROCKETT CLUB

The Boone and Crockett Club promotes guardianship and visionary management of big game and associated wildlife in North America. The Club maintains the highest standards of fair chase sportsmanship and habitat stewardship. Visit boone-crockett.org



ROCKY MOUNTAIN ELK FOUNDATION

The Rocky Mountain Elk Foundation advances its mission with a programmatic focus on land conservation and access, habitat stewardship, wildlife management, and advocacy on behalf of elk, conservation, and hunting. Visit rmef.org



AMATEUR TRAPSHOOTING ASSOCIATION

The ATA serves as the faithful protector of the sport of trapshooting. As the largest clay target shooting organization in the world, the ATA governs the sport's rules and regulations and seeks ways to further enhance the sport and increase participation. Visit shootata.com



ATA - ACADEMICS, INTEGRITY AND MARKSMANSHIP

AIM is the OFFICIAL youth program of the Amateur Trapshooting Association. AIM is a great way to get your child involved in the thrilling and unique lifetime sport of Trapshooting. It also is an excellent way for them to learn firearm safety from a certified coach. AIM instills values and a sense of community responsibility. AIM offers the experience of team competition on a level playing field. Visit aim4ata.com



PHEASANTS FOREVER

Pheasants Forever's mission is to conserve pheasants, quail, and other wildlife through habitat improvements, public access, education, and conservation advocacy so that current and future generations of hunters and conservationists are able to enjoy abundant populations of wild pheasants, quail, and other wildlife. Visit pheasantsforever.org



QUAIL FOREVER

Quail Forever is a nonprofit organization dedicated to conserving and preserving quail and other upland bird species and their habitats. With a passionate community of hunters, conservationists, and outdoor enthusiasts, Quail Forever works tirelessly to restore and enhance critical habitats for quail, pheasants, and other wildlife. Visit quailforever.org



NATIONAL SKEET SHOOTING ASSOCIATION

The National Skeet Shooting Association (NSSA) is an organization dedicated to promoting and governing the sport of skeet shooting in the United States. NSSA provides a platform for enthusiasts and competitors to engage in organized skeet shooting events, uphold safety standards, and advance the sport's development through education and camaraderie. Visit mynssa.org



SCHOLASTIC CLAY TARGET PROGRAM

The Scholastic Clay Target Program is the largest, fastest-growing, and most exciting youth clay target program in the US. We provide students from elementary through high school and college the chance to compete in sports such as trap, skeet, and sporting clays. As well as Olympic disciplines like bunker trap and international skeet. Visit mysctcp.com



NATIONAL SPORTING CLAYS ASSOCIATION

The NSCA is dedicated to the development of the sport at all levels of participation and vows to create an atmosphere of healthy competition and meaningful fellowship within its membership. Shooters who wish to compete can enter sporting clay tournaments and be competitive immediately. The NSCA also offers the hunter a recreational target shooting sport that will strengthen hunting and gun safety skills and extend "hunting" seasons. Visit nsca.org



INTERNATIONAL FITASC FEDERATION

FITASC believes more than ever that the goal it strives for with such zeal defends the interests of all shooters; furthermore, its actions, coupled with the support of its members, play an important role in the development and success at an international level of the sport which FITASC has overseen since 1921. FITASC's wide-ranging actions and the success of its new disciplines are a testament to the federation's enterprising and initiative spirit. Visit fitasc.org



NATIONAL RIFLE ASSOCIATION

The National Rifle Association is America's longest-standing civil rights organization. Together with our more than five million members, the NRA is a proud defender of history's patriots and diligent protectors of the Second Amendment. Visit nra.org



NATIONAL SHOOTING SPORTS FOUNDATION

The National Shooting Sports Foundation (NSSF) is the trade association for the firearms industry. Since its founding in 1961, the NSSF has sought to represent the broad scope of the hunting and shooting sports industry. Members include manufacturers of sporting firearms and ammunition, a wide array of accessories and equipment manufacturers, as well as distributors, retailers, shooting ranges, and many other companies and organizations in the hunting and shooting sports community. Visit nssf.org

PARTNERSHIPS

BALLISTICS

BACKWOODS HUNTER

ITEM NUMBER	CALIBER	GRAIN	TYPE	VELOCITY IN FEET PER SECOND +/- 10 FT/S					ENERGY IN FEET PER POUND +/- 5 FT/P					TRAJECTORY DROP					B.C		
				MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	100 Y.	200 Y.	300 Y.		400 Y.	500 Y.
243CHA	243 WIN	80	COPPER HP	3415	3111	2827	2562	2311	2074	2072	1719	1420	1166	949	764	0	-2.1	-8.6	-20.4	-38.7	0.34
270CHA	270 WIN	130	COPPER HP	3100	2839	2594	2361	2140	1932	2774	2327	1942	1609	1322	1077	0	-2.8	-10.9	-25.1	-47	0.37
65CMCHA	6.5 CREEDMOOR	120	COPPER HP	2900	2657	2427	2209	2002	1807	2241	1881	1570	1300	1068	870	0	-3.4	-12.8	-29.3	-54.5	0.38
7MM08CHA	7MM-08	140	COPPER HP	2825	2598	2382	2176	1981	1797	2481	2098	1764	1472	1220	1004	0	-3.7	-13.5	-30.7	-56.8	0.4
7RMCHA	7MM REM MAG	160	COPPER HP	2935	2696	2470	2255	2051	1858	3060	2583	2168	1807	1494	1226	0	-3.3	-12.3	-28.2	-52.3	0.39
308CHB	308 WIN	150	COPPER HP	2900	2669	2450	2241	2042	1855	2801	2373	1999	1673	1389	1145	0	-3.4	-12.6	-28.8	-53.3	0.4
3006CHA	30-06 SPRINGFIELD	150	COPPER HP	2950	2716	2495	2284	2083	1893	2898	2458	2073	1737	1445	1194	0	-3.2	-12	-27.6	-51.1	0.4
300WMCHA	300 WIN MAG	165	COPPER HP	3100	2864	2641	2428	2225	2032	3521	3005	2555	2160	1814	1513	0	-2.7	-10.5	-24.1	-44.9	0.41

FIELD DYNAMICS

ITEM NUMBER	CALIBER	GRAIN	TYPE	VELOCITY IN FEET PER SECOND +/- 10 FT/S					ENERGY IN FEET PER POUND +/- 5 FT/P					TRAJECTORY DROP					B.C		
				MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	100 Y.	200 Y.	300 Y.		400 Y.	500 Y.
204HVA	204 RUGER	32	V-MAX	4125	3559	3061	2616	2212	1846	1282	983	744	553	403	290	0	-1.3	-6.3	-16.5	-33.8	0.21
204HVB	204 RUGER	40	V-MAX	3700	3302	2939	2604	2293	2003	1239	974	757	580	437	326	0	-2	-8.6	-21.9	-44.5	0.21
222HVA	222 REM	50	V-MAX	3200	2799	2432	2094	1784	1511	1216	968	767	602	467	356	0	-3	-11.9	-28.8	-56.8	0.242
22250B	22-250 REM	55	PSP	3650	3192	2781	2405	2059	1745	2420	2086	1791	1529	1297	1095	0	-1.9	-8.4	-20.9	-41.7	0.453
22250HVB	22-250 REM	40	V-MAX	4100	3510	2994	2535	2120	1747	1270	1052	864	704	568	456	0	-1.3	-6.6	-17.4	-36	0.20
22250HVD	22-250 REM	55	V-MAX	3650	3226	2843	2491	2165	1864	1209	927	702	523	382	274	0	-1.3	-6.6	-17.4	-36	0.255
223850	223 REM	55	PSP	3230	2814	2436	2088	1770	1491	2380	2001	1782	1501	1256	1103	0	-2.9	-11.8	-28.7	-56.8	0.235
223HVA	223 REM	50	V-MAX	3300	2889	2515	2170	1851	1571	2420	2108	1829	1579	1357	1161	0	-3.6	-13.1	-29.4	-57.5	0.240
223HVB	223 REM	40	V-MAX	3650	3117	2646	2270	1836	1501	1239	974	757	580	437	326	0	-3.5	-13.1	-29.9	-57.2	0.275
223HVA50	223 REM	50	V-MAX	3300	2889	2515	2170	1854	1571	1140	937	767	629	520	439	0	-2.7	-11	-26.7	-52.6	0.242
223HVB50	223 REM	40	V-MAX	3650	3117	2646	2270	1836	1501	2436	2098	1798	1532	1298	1093	0	-2.1	-9.2	-23.5	-48.3	0.20
223HVC50	223 REM	55	V-MAX	3240	2855	2502	2175	1873	1602	1902	1297	859	566	399	316	0	-2.8	-11.2	-27	-52.8	0.255
243SPD	243 WIN	100	PSP	3050	2814	2590	2378	2175	1982	2620	2257	1936	1651	1401	1182	0	-2.9	-11	-25.3	-47	0.405
270SPB	270 WIN	130	PSP	3010	2778	2559	2349	2150	1960	2617	2275	1970	1692	1445	1229	0	-3	-11.4	-26.1	-48.3	0.409
3006B	30-06 SPRINGFIELD	150	PSP	2910	2667	2436	2217	2010	1815	2782	2354	1981	1655	1373	1130	0	-3.4	-12.7	-29.1	-54.1	0.38
3006C	30-06 SPRINGFIELD	165	PSP	2800	2576	2364	2161	1968	1787	2649	2219	1848	1526	1250	1016	0	-3.8	-13.8	-31.3	-57.7	0.404
3006D	30-06 SPRINGFIELD	180	PSP	2700	2504	2316	2137	1965	1802	2743	2355	2010	1707	1440	1209	0	-4.1	-14.6	-32.9	-60.1	0.452
3030B	30-30 WIN	150	FSP	2390	2029	1703	1422	1199	1051	2671	2283	1941	1640	1378	1150	0	-7.7	-29.5	-72.8	-146.2	0.186
3030C	30-30 WIN	170	FSP	2200	1827	1501	1240	1066	961	2753	2358	2011	1704	1435	1201	0	-9.4	-35.6	-86.5	-170.6	0.189
300WMB	300 WIN. MAG	180	PSP	3000	2790	2591	2399	2216	2041	2849	2430	2062	1739	1456	1211	0	-3	-11.2	-25.4	-46.7	0.452
308B	308 WIN	150	PSP	2820	2581	2355	2141	1937	1747	2997	2542	2145	1798	1497	1237	0	-3.6	-13.6	-31.4	-58.4	0.38
308D	308 WIN	165	PSP	2700	2496	2302	2116	1939	1772	2872	2432	2047	1710	1419	1169	0	-4.1	-14.7	-33.5	-61	0.435
4570B	45-70 GOV.	300	HPFN	1900	1530	1236	N/A	N/A	N/A	2924	2535	2189	1880	1606	1365	0	-13.6	-50	-117.9	-225.1	0.185
65CMB	6.5 CREEDMOOR	129	PSP	2820	2616	2420	2233	2055	1885	3572	2973	2463	2026	1651	1333	0	-3.6	-13.1	-29.7	-54.5	0.445
7RMA	7MM REM. MAG.	139	PSP	3150	2933	2728	2531	2343	2162	3597	3138	2730	2364	2038	1748	0	-2.6	-9.8	-22.5	-41.5	0.453
7RMB	7MM REM. MAG.	175	INTKL FB	2850	2652	2462	2280	2106	1939	3548	3134	2760	2423	2118	1844	0	-3.5	-12.7	-28.6	-52.4	0.462
7MM08B	7MM-08 REM.	139	PSP	2800	2600	2409	2226	2050	1883	3645	3215	2829	2480	2166	1884	0	-3.7	-13.3	-30	-55.1	0.453

HYPERFORMANCE HUNT

ITEM NUMBER	CALIBER	GRAIN	TYPE	VELOCITY IN FEET PER SECOND +/- 10 FT/S					ENERGY IN FEET PER POUND +/- 5 FT/P					TRAJECTORY DROP					B.C		
				MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	100 Y.	200 Y.	300 Y.		400 Y.	500 Y.
243HSB	243 WIN	95	SST	2950	2688	2440	2206	1985	1778	1270	1052	864	704	568	456	0	-3.3	-12.5	-28.9	-54.1	0.355
243SCA	243 WIN	90	SCIROCCO	3100	2869	2649	2440	2240	2050	1493	1094	796	571	399	271	0	-2.6	-10.2	-24	-44.5	0.419
260HSA	260 REM	129	SST	2800	2613	2434	2261	2096	1938	3156	2732	2355	2020	1723	1461	0	-3.6	-13.1	-29.4	-53.6	0.485
270HSB	270 WIN	150	SST	2860	2685	2516	2354	2197	2046	508	474	446	421	399	380	0	-3.3	-12.2	-27.3	-49.6	0.525
270SCA	270 WIN	130	SCIROCCO	3050	2837	2634	2440	2255	2077	1140	937	767	629	520	439	0	-2.8	-10.7	-24.4	-45	0.45
3006GKB	30-06 SPRINGFIELD	165	HPBT GK	2850	2599	2362	2137	1925	1726	1902	1371	966	673	479	368	0	-3.7	-13.6	-31.2	-59.8	0.224
3006HSC	30-06 SPRINGFIELD	180	SST	2875	2491	2315	2145	1983	1829	2436	2098	1798	1532	1298	1093	0	-4.1	-14.8	-33	-60	0.48
3006SCA	30-06 SPRINGFIELD	165	SCIROCCO	2875	2679	2491	2311	2138	1973	2620	2257	1936	1651	1401	1182	0	-3.4	-12.3	-27.8	-51	0.47
3008LHSA	300 AAC BLACKOUT	125	SST	2200	1944	1708	1496	1312	1166	2619	2276	1969	1695	1452	1239	0	-7.7	-27.3	-62.99	-118.5	0.305
300WMSA	300 WIN. MAG	180	SST	3000	2802	2613	2432	2258	2091	2724	2320	1965	1654	1383	1148	0	-2.9	-11	-24.9	-45.7	0.48
300WMSCA	300 WIN. MAG	180	SCIROCCO	3020	2836	2660	2491	2328	2171	2760	2284	1870	1516	1218	976	0	-2.8	-10.6	-23.9	-43.7	0.52
308HSA	308 WIN	150	SST	2860	2639	2429	2229	2037	1857	2671	2283	1941	1640	1378	1150	0	-3.4	-12.7	-29.3	-54.2	0.415
308HSC	308 WIN	180	SST	2570	2390	2218	2053	1895	1745	2659	2299	1978	1693	1441	1221	0	-4.6	-16.3	-36.3	-66	0.48
308SCA	308 WIN	150	SCIROCCO	2875	2661	2457	2262	2076	1899	2709	2337	2007	1714	1456	1230	0	-3.4	-12.6	-28.6	-52.7	0.43
65CMHSA	6.5 CREEDMOOR	129	SST	2820	2632	2452	2279	2113	1954	2838	2472	2145	1852	1591	1361	0	-3.5	-12.9	-28.9	-51.6	0.485
65CMSCA	6.5 CREEDMOOR	130																			

150 FIOCCHI. LEGACY IN MOTION

